

# **SPECIFICATIONS**

MODULE NO: H40G16-00Z

Customer Approval
Customer Name:
Customer P/N:
Customer Approval:

RD	QA	Approval

-1- Ver: 00 TEL:0755-23907955 FAX:0755-23907952 http://www.Tsont.com



**Revision History** 

REVISION NO.	REVISED DESCRIPTIONS	DATE
00/00	First issue	2022-11-05



## **CONTENTS**

1.	LCD MODULE PHYSICAL DATA	2
2.	OUTLINE DIMENSIONS	3
3.	ABSOLUTE MAXIMUM RATINGS	4
4.	ELECTRICAL CHARACTERISTICS	5
5.	ELECTRO-OPTICAL CHARACTERISTICS	6
6.	INTERFACE PIN CONNECTIONS	10
7.	SPECIFICATION OF QUALITY ASSURANCE	12
8.	RELIABILITY	17
9.	USING LCD MODULES	18



## 1 LCD MODULE PHYSICAL DATA

## 1.1 **Features**

Display Type	TFT
Viewing Direction	ALL
Connection Type	COG + FPC
Operation temperature	-20℃ ~70℃
Storage temperature	-30°C ~80°C
Driving IC	S7701S
MPU interface	SPI+RGB
Backlight	7chip white LED
Module Luminance	250 cd/m <sup>2</sup>

Table 1.


## 1.2 Mechanical Specification

Item	Standard Value	Unit
Screen size	3.99	inch
Number of dots	480 RGB x 960 dots	-
LCM dimension	43.10(W) x103.83H) x2.0(T)	mm
Active area	39.18 (W) x94.03(H)	mm
Dot Pitch	32.65(H) x97.95(V)	um
Approx. weight	TBD	g

Table 2.



#### 2 OUTLINE DIMENSIONS





## **3 ABSOLUTE MAXIMUM RATINGS**

ITEM	SYMBOL	CONDITION	STA	UNIT		
TI DIVI	STABOL	CONDITION	MIN	TYP	MAX	01111
Power Supply Voltage(1)	VDD	Ta= +25°C	-0.3	2.8	3.2	V
Input Voltage	Vin	Ta=+25℃	-0.3	-	Vcc+0.3	V
Operating Temperature	Тор		- 20	-	+70	$^{\circ}\!\mathbb{C}$
Storage Temperature	Tst		- 30	-	+80	$^{\circ}$

Table 3.

#### **NOTE:**

- (1). If the module is used above these absolute maximum ratings. It may become permanently damaged. Using the module within the following electrical characteristic conditions are also exceeded, the module will malfunction and cause poor reliability
  - (2). LCM should be grounded during handing LCM.
  - (3). VDD>GND must be maintained.

-6- Ver: 00 TEL:0755-23907955 FAX:0755-23907952 http://www.Tsont.com



## **4** ELECTRICAL CHARACTERISTICS

## 4.1 DC Characteristics

ITEM	SYMBOL	CONDITIONS	STAN	UNIT		
			MIN	TYP	MAX	
Power Supply Voltage for Logic	VDD-GND	Ta= +25°C	2.65	2.8	3.3	V
Power Supply Voltage for IO	VDD-GND	Ta= +25°C	1.65	1.8	3.3	V
Input High Voltage for LCD	VIH	_	0.8Iovcc	_	Iovec	V
Input Low Voltage for LCD	VIL	_	Vss	_	0.2 Iovcc	V
Output High Voltage for LCD	VOH	_	0.8Iovcc	_	Iovec	V
Output Low Voltage for LCD	VOL	_	Vss	_	0.2 Iovec	V

Table 4.

## 4.2 Back-Light unit

PARAMETER	SYMBOL	REMARK	STANE	UNIT		
			MIN	TYP	MAX	
FORWARD VOLTAGE	VF	If =20mA	22.4	24.8	27.2	V
LUMINOUS INTENSITY	lv	If =20mA	8500	9500		cd/m <sup>2</sup>
LUMINOUS TOLERANCE	lv-m	(min/max)/100		80		%
CHROMATICITY COORDINATES	Х	If =20mA	0.260		0.300	
CHROWATICITY COORDINATES	Y	II =20IIIA	0.260		0.300	
OPERATING TEMPERATURE	-20℃ ~70℃					
STORAGE TEMPERATURE	-30℃ ~80℃					

Table 5.

# 4.3 AC Characteristics

Refer to ST7701S Data sheet



## **5** ELECTRO-OPTICAL CHARACTERISTICS

Paramete		Symbol	Condition	Min	Тур	Max	Unit	Remark
Threshold ve	oltage	Vsat			2.77		V	Note 1
_		Vth			1.66		V	Note I
	Horizontal	Left(9')		80	85		Deg	
Viewing Angle	Horizontai	Right(3')	$\Theta = 0$ °	80	85		Deg	Not 2
range	Vertical	Up(12')	0-0	80	85		Deg	NOU 2
	Vertical	Down(6')		80	85		Deg	
Contrast ratio		C/R	$\Theta = 0_{\circ}$	1000	1500			Not 3
Transn	nittance	T(%)	Θ = 0°	4.0	4.7		%	Not 4
White Chro			Θ = 0°	0.273	0.293	0.313		
White Chro	maticity	Уw	$\Theta = 0$	0.310	0.330	0.350		
	Red	XR		0.627	0.647	0.667		
	Keu	УR		0.292	0.312	0.332		Not 5 *Color
Reproduction	on Green	XG	$\Theta = 0^{\circ}$	0.241	0.261	0.281		Filter Glass
Of color	Green	УG	0-0	0.545	0.565	0.585		- Grads
	Blue	XB		0.117	0.137	0.157		
	Diue	ув		0.090	0.110	0.130		
Respon	se Time	Tr+Tf	⊖= 0°		30	40	ms	Not 6

Table 6.



#### Note:

1. The definition of Vth & Vsat




Figure 3. The definition of Vth & Vsat

2. Viewing angle is the angle at which the contrast ratio is greater than 10. The viewing are determined for the horizontal or 3, 9 o'clock direction and the vertical or 6, 12 o'clock direction with respect to the optical axis which is normal to the LCD surface.




Figure 4.Definition of viewing angle

3. Contrast measurements shall be made at viewing angle of  $\Theta$ = 0° and at the center of the LCD surface. Luminance shall be measured with all pixels in the view field set first to white, then to the dark (black) state.



# $CR = \frac{Luminance when displaying a white raster}{Luminance when displaying a black raster}$

- 4. Transmittance is the value with Polarizer.
- 5. The color chromaticity coordinates specified in Table 6. shall be calculated from the spectral data measured with all pixels first in red, green, blue and white. Measurements shall be made at the center of the C/F. Measurement condition is C light source & Halogen Lamp.




Figure 5 Optical test equipment.

6. The electro-optical response time measurements shall be made as FIGURE 3 shown in Appendix by switching the "data" input signal ON and OFF. The times needed for the luminance to change from 10% to 90% is Tr, and 90% to 10% is Td




Figure 6.Definition of response time: Tr+Tf



#### **6 INTERFACE PIN CONNECTIONS**

#### 1 LCM

PIN	SYMBOL	FUNCTION DESCRIPTIONS
1	GND	Ground
2	VCC	Power supply 2.8V
3	SDA	Serial data input signal
4	SCL	Serial port clock signal
5	CS	Chip select signal
6	RESET	Reset signal pin
7-11	DB15-DB11	Data Bus R4-R0
12-17	DB10-DB5	Data Bus G5-G0
18-22	DB4-DB0	Data Bus R4-R0
23	DE	Data supports signals for RGB interface operation
24	PCLK	RGB clock signal
25	HSYNC	Line sync signal
26	VSYNC	Vertical sync signal
27	LED_A	The backlight anode
28	LED_K	The backlight cathode
29	TP_RESET	Reset signal pin
30	TP_INT(3.3)	Interrupt signal
31	TP_SDA(3.3)	Data input/output signal
32	TP_SCL(3.3)	Clock signal
33	TP_VCC(3.3)	Power supply 3.3V

Table 7.

## 7 INITIALIZED CODE

Please contact us for details.



#### **8** SPECIFICATION OF QUALITY ASSURANCE

#### 8.1 Summary

The customer should check and accept the products of Tsont Electronics within one month after reception. This standard for Quality Assurance should affirm the quality of LCD products to supply to purchaser by Tsont Electronics COMPANY LIMITED. Entire process is controlled according to QS9000.

#### 8.2 Standard for quality test

(1) Inspection

Before delivering, the supplier should take the following tests, and affirm the quality of product.

(2) Electro-Optical Characteristics

According to the individual specification to test the product.

(3) Test of Appearance Characteristics:

According to the individual specification to test the product.

(4)Test of Reliability Characteristics

According to the definition of reliability on specification for test product.

(5) Delivery Test

Before delivering, the supplier should take the delivery test

(6) Sampling Method: GB/T2828.1-2003, Level II

(7) The defects classify of AQL as following

Major defect: AQL=0.65 Minor defect: AQL=1.5

#### 8.3 Nonconforming Analysis & Deal With Manners

☆Nonconforming Analysis

- (1) Purchaser should supply the detail data of nonconforming sample and the non-suitable state.
- (2) After accepting the detail data from purchaser ,the analysis of nonconforming should be finished in two weeks.
  - (3) If supplier can not finish analysis on time ,must announce purchaser before two weeks.
  - ☆Disposition of nonconforming
- (1) If find any supplier defect during assembly line, supplier must change the good product for every defect after recognition.
- (2) Both supplier and customer should analysis the reason and discuss the disposition of nonconforming when the reason of nonconforming is not sure.



#### 8.4 Agreement items.

Both sides should discuss together when the following problems happen:

- (1) There is any problem of standard of quality assurance, and both sides think that must be modifier.
  - (2) There is any argument item which does not record in the quality assurance.
  - (3) Any other special problem.

#### 8.5 Standard of the Product Appearance Test

- 8.5.1 Manner of appearance test
- (1) The test must be under 20W\*2 or 40W fluorescent light ,and the distance of view must be at 30±5 cm.
  - (2) When test the model of Transmissive product must add the reflective plate.
  - (3) The test direction is base on about around 30 degree(within  $\theta$  range)of vertical line.




Figure 7.



## (4) Definition of Area:

A Area: Active area

B Area: Viewing area

C Area: Out of viewing area

D Area: Seal area




Figure 8.

#### 8.5.2 Basic principle:

- (1) It will accord to the AQL when the standard can not be described.
- (2) The sample of the lowest acceptable quality level must be discussed by both supplier and customer when any dispute happened.
- (3) Must add new item on time when it is necessary.



## 8.6 Inspection specification

NO	Item			Criter	ion		AQL	
01	Electrical Testing	contrast d 1.2 Missin 1.3 Displa 1.4 No fur 1.5 Curren 1.6 LCD	1.1 Missing vertical, horizontal segment, segment contrast defect. 1.2 Missing character, dot or icon. 1.3 Display malfunction. 1.4 No function or no display. 1.5 Current consumption exceeds product specifications. 1.6 LCD viewing angle defect. 1.7 Contrast defect					
02	LCD black spots, white spots, color spots, contamination, scratches (display/non-display)	$\varphi = (x+y)/2$ $\Rightarrow X$ $\varphi \le 0.10$ $0.10 < \varphi \le 0.15$ $0.15$ $\le \varphi \le 0.$ $0$ $0.30 < \varphi$ $Total$	Acception Accept	otable QTY A.A Ignore  2  1  0 3  collowing dr  W	No m than t spots within 5mm	Remark  No more than two lines	1.5	
			0.08< W	0	0	within 5mm		



	i				
	Polarizer bubbles Ignore	If bubbles are visible, judge using black spot specification, not easy to find, must check in specify direction.			
		Size	Acceptable QTY		
0.2			A. A	1.5	
03		a < 0.10		1.5	
		φ≤0.10	Ignore		
		$\phi \leq 0.20$	1		
			·		
04	Chipped glass	t: Glass thickned 4.1 ITO electrons a<=t b<=0.5mm			
		*Effective width of set 4.2 General ,co	al area shall be more than 0.3mm.		
		a<=t b<=0.5mm c<=3.0mm	al area shall be more than 0.3mm.	1.5	
		b b	a alea shall be more than 0.5mm.		



# **TSONT Electronics Co., Ltd.**

05	Cracked glass	The LCD with extensive crack is not acceptable.	0.65
06	Backlight elements	6.1 Illumination source flickers when lit.	
		6.2 Spots or scratches that appear when lit must be judged	
		using LCD spot, lines and contamination standards.	
		6.3 Backlight doesn't light or color is wrong	
	Soldering	7.1 No unmelted solder paste may be present on the PCB.	
		7.2 No cold solder joints, missing solder connections, oxidation	
0.7		or icicle.	1.5
07		7.3 No residue or solder balls on PCB.	
		7.4 No short circuits in components on PCB.	1.5
			0.65
		8.1 No oxidation, contamination, curves or, bends on interface	1.5
		pin (OLB) of TCP.	
	General appearance	8.2 No cracks on interface pin(OLB) of TCP	0.65
		8.3 NO contamination, solder residue or solder balls on	1.5
		product.	
		8.4 The IC on the TCP may not be damaged, circuits.	0.65
		8.5 The residual rosin or tin oil of soldering (component or chip	1.5
		component) is not burned into brown or black color. 8.6	
		Sealant on top of the ITO circuit has not hardened	1.5
08		8.7 Pin type must match type in specification sheet.	0.65
		8.8 LCD pin loose or missing pins.	0.65
		8.9 Product packaging must the same as specified on packaging specification sheet.	0.65
		8.10 Product dimension and structure must conform to product	0.65
		specification sheet.	
		-r · · · · · · · · · · · · · · · · · · ·	

Table 8.



## 9 RELIABILITY

NO	Test Item	Description	Test Condition
1	High temperature storage	Endurance test applying the high storage temperature for a long time	70°C ±2°C, 24hrs
2	Low temperature storage	Endurance test applying the low storage temperature for a long time	-20℃±2℃, 12hrs
3	High temperature operation	Endurance test applying the electric stress under high temperature for a long time	70°C ±2°C, 24hrs
4	Low temperature operation	Endurance test applying the electric stress under low temperature for a long time	-40°C ±2°C, 24hrs
5	High temperature /humidity storage	Endurance test applying the high temperature and high humidity storage for a long time	60 °C±5 °C , 95%RH 48hrs
6	High temperature /humidity operation	Endurance test applying electric stress under high temperature and high humidity for a long time	40℃ 90% R.H 96H
7	Temperature Cycle	Endurance test applying the low and high temperature cycle $-20^{\circ}\text{C} \rightarrow 25^{\circ}\text{C} \rightarrow 70^{\circ}\text{C}$ $\rightarrow 25^{\circ}\text{C}$ 30min 5min 30min 5min one cycle	-40±2°C(0.5H)~80°C(0.5H) 32cycles
8	Vibration test	Endurance test applying the vibration during transportation and using	10Hz~50Hz Swing:0.75mm time:30min
9	Fall test	Endurance test dropping the LCM from a high place	800mm height
10	Static electricity test	Endurance test applying static electric stress to terminal	Contact discharge: ±4KV Air discharge: ±8KV

Table 9.

#### NOTE: TEST CONDITION

- (1) Temperature and humidity: If no specification, temp. set at 25±2°C, humidity set at 60±5%RH.
- (2) Operating state: Samples subject to the test shall be in "operating" condition.



#### 10 USING LCD MODULES

#### 10.1 LIQUID CRYSTAL DISPLAY MODULES

LCD is composed of glass and polarizer. Pay attention to the following items when handling.

- (1) Please keep the temperature within specified range for use and storage. Polarization degradation, bubble generation or polarizer peel-off may occur with high temperature and high humidity.
- (2) Do not touch, push or rub the exposed polarizers with anything harder than an HB pencil lead (glass, tweezers, etc.).
- (3) N-hexane is recommended for cleaning the adhesives used to attach front/rear polarizers and reflectors made of organic substances which will be damaged by chemicals such as acetone, toluene, ethanol and isopropylalcohol.
- (4) When the display surface becomes dusty, wipe gently with absorbent cotton or other soft material like chamois soaked in petroleum benzin. Do not scrub hard to avoid damaging the display surface.
- (5) Wipe off saliva or water drops immediately, contact with water over a long period of time may cause deformation or color fading.
- (6) Avoid contacting oil and fats.
- (7) Condensation on the surface and contact with terminals due to cold will damage, stain or dirty the polarizers. After products are tested at low temperature they must be warmed up in a container before coming is contacting with room temperature air.
- (8) Do not put or attach anything on the display area to avoid leaving marks on.
- (9) Do not touch the display with bare hands. This will stain the display area and degradate insulation between terminals (some cosmetics are determinated to the polarizers).
- (10) As glass is fragile. It tends to become or chipped during handling especially on the edges. Please avoid dropping or rising.

#### 10.2 PRECAUTION FOR HANDING LCD MODULES

Since LCM has been assembled and adjusted with a high degree of precision, avoid applying excessive shocks to the module or making any alterations or modifications to it.

- (1) Do not alter, modify or change the the shape of the tab on the metal frame.
- (2) Do not make extra holes on the printed circuit board, modify its shape or change the positions of components to be attached.
- (3) Do not damage or modify the pattern writing on the printed circuit board.
- (4) Absolutely do not modify the zebra rubber strip (conductive rubber) or heat seal connector.
- (5) Except for soldering the interface, do not make any alterations or modifications with a soldering iron.

-19 - Ver: 00 TEL:0755-23907955 FAX:0755-23907952 http://www.Tsont.com



- (6) Do not drop, bend or twist LCM.
- (7) In order to avoid the cracking of the FPC, you should to pay attention to the area of FPC(R50mm) where the FPC was bent .the edge of coverlay; the area of surface of Ni-Au plating, the area of soldering land, the area of through hole.

#### 10.3 ELECTRO-STATIC DISCHARGE CONTROL


Since this module uses a CMOS LSI, the same careful attention should be paid to electrostatic discharge as for an ordinary CMOS IC.

- (1) Make certain that you are grounded when handing LCM.
- (2) Before remove LCM from its packing case or incorporating it into a set, be sure the module and your body have the same electric potential.
- (3) When soldering the terminal of LCM, make certain the AC power source for the soldering iron does not leak.
- (4) When using an electric screwdriver to attach LCM, the screwdriver should be of ground potentiality to minimize as much as possible any transmission of electromagnetic waves produced sparks coming from the commutator of the motor.
- (5) As far as possible make the electric potential of your work clothes and that of the work bench the ground potential.
- (6) To reduce the generation of static electricity be careful that the air in the work is not too dried. A relative humidity of 0%-60% is recommended.

#### 10.4 PRECAUTIONS FOR OPERATION

- (1) Viewing angle varies with the change of liquid crystal driving voltage (VO). Adjust VO to show the best contrast.
- (2) Driving the LCD in the voltage above the limit shortens its life.
- (3) Response time is greatly delayed at temperature below the operating temperature range. However, this does not mean the LCD will be out of the order. It will recover when it returns to the specified temperature range.
- (4) If the display area is pushed hard during operation, the display will become abnormal. However, it will return to normal if it is turned off and then back on.
- (5) Condensation on terminals can cause an electrochemical reaction disrupting the terminal circuit. Therefore, it must be used under the relative condition of 40°C, 50% RH.
- (6) When turning the power on, input each signal after the positive/negative voltage becomes stable.





#### 10.5 STORAGE

When storing LCDs as spares for some years, the following precaution are necessary.

- (1) Store them in a sealed polyethylene bag. If properly sealed, there is no need for dessicant.
- (2) Store them in a dark place. Do not expose to sunlight or fluorescent light, keep the temperature between 0°C and 35°C.
- (3) The polarizer surface should not come in contact with any other objects. (We advise you to store them in the container in which they were shipped.)
- (4) Environmental conditions:
- Do not leave them for more than 160hrs, at 70°C.
- Should not be left for more than 48hrs. at -20°C.

#### **10.6 SAFETY**

- (1) It is recommended to crush damaged or unnecessary LCDs into pieces and wash them off with solvents such as acetone and ethanol, which should later be burned.
- (2) If any liquid leakes out of a damaged glass cell and comes in contact with the hands, wash off thoroughly with soap and ater.

#### 10.7 LIMITED WARRANTY

Unless agreed between TSONT COMPANY and customer, TSONT COMPANY will replace or repair any of its LCD modules which are found to be functionally defective when inspected in accordance with TSONT COMPANY LCD modules acceptance standards (copies available upon request) for a period of one year from date of shipments. Cosmetic/visual defects must be returned to TSONT COMPANY within 90 days of shipment. Confirmation of such date shall be based on freight documents. The warranty liability of TSONT COMPANY to repair and/or replacement on the terms set forth above. TSONT COMPANY will not be responsible for any subsequent or consequential events.



#### 10.8 RETURN LCM UNDER WARRANTY

No warranty can be granted if the precautions stated above have been disregarded. The typical examples of violations are :

- Broken LCD glass.

terminals.

- Circuit modified in any way, including addition of components.

Module repairs will be invoiced to the customer upon mutual agreement. Modules must be returned with sufficient description of the failures or defects. Any connectors or cable installed by the customer must be removed completely without damaging the PCB's eyelet, conductors and

-22 - Ver: 00 TEL:0755-23907955 FAX:0755-23907952 http://www.Tsont.com