



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

Scenario: [1:7] **Fetch all openid connect clients without bearer token**

Test 1 : * def mainUrl = openidclients_url

0.000016

Test 2 : Given url mainUrl

0.000006

Test 3 : When method GET

0.003582

Test 4 : Then status 401

0.000006

Scenario: [2:13] **Fetch all openid connect clients**

Test 5 : * def mainUrl = openidclients_url

0.000013

Test 6 : Given url mainUrl

0.000006

Test 7 : And header Authorization = 'Bearer ' + accessToken

0.000105

Test 8 : When method GET

0.050971

Test 9 : Then status 200

0.000006

Test 10 : And print response

0.001022

```
23:54:11.442 [print] {
  "entriesCount": 7,
  "entries": [
    {
      "accessTokenSigningAlg": "RS256",
      "applicationType": "web",
      "clientName": {
        "languageTags": [
          ""
        ],
        "values": {
          "": "Jans Config Api Client"
        },
        "value": "Jans Config Api Client"
      },
      "displayName": "Jans Config Api Client",
      "tokenBindingSupported": false,
      "deletable": false,
      "customObjectClasses": [
        "top"
      ],
      "dn": "inum=1800.04306989-dca7-4e71-bdaa-
a0c3a4065215,ou=clients,o=jans",
      "inum": "1800.04306989-dca7-4e71-bdaa-a0c3a4065215",
      "subjectType": "pairwise",
      "persistClientAuthorizations": true,
      "policyUri": {
      },
      "accessTokenAsJwt": false,
      "clientSecret": "xS2GdagpTlT0",
      "includeClaimsInIdToken": false,
      "disabled": false,
      "trustedClient": false,
      "responseTypes": [
        "code"
      ],
      "clientUri": {
      },
      "rptAsJwt": false,
      "logoUri": {
      },
      "redirectUris": [
        "https://jans.server3/admin-ui",
        "http://localhost:4100"
      ]
    }
  ]
}
```



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

    ],
    "grantTypes": [
      "authorization_code",
      "refresh_token",
      "client_credentials"
    ],
    "authenticationMethod": "client_secret_basic",
    "tokenEndpointAuthMethod": "client_secret_basic",
    "tosUri": {
    },
    "attributes": {
      "keepClientAuthorizationAfterExpiration": false,
      "allowSpontaneousScopes": false,
    },
    "runIntrospectionScriptBeforeAccessTokenAsJwtCreationAndIncludeClaims":
    false,
    "requirePar": false,
    "jansDefaultPromptLogin": false,
    "parLifetime": 600,
    "backchannelLogoutSessionRequired": false
  },
  "scopes": [
    "inum=C4F7,ou=scopes,o=jans",
    "inum=1200.868980,ou=scopes,o=jans",
    "inum=1200.DA9F23,ou=scopes,o=jans",
    "inum=1800.F6E078,ou=scopes,o=jans",
    "inum=1800.316C42,ou=scopes,o=jans",
    "inum=1800.4BDE76,ou=scopes,o=jans",
    "inum=1800.D113CB,ou=scopes,o=jans",
    "inum=1800.E15D77,ou=scopes,o=jans",
    "inum=1800.4C3B9B,ou=scopes,o=jans",
    "inum=1800.C543E2,ou=scopes,o=jans",
    "inum=1800.F1E764,ou=scopes,o=jans",
    "inum=1800.AAC335,ou=scopes,o=jans",
    "inum=1800.502B3F,ou=scopes,o=jans",
    "inum=1800.CFBD51,ou=scopes,o=jans",
    "inum=1800.4C0B58,ou=scopes,o=jans",
    "inum=1800.7E9F42,ou=scopes,o=jans",
    "inum=1800.3DCAE2,ou=scopes,o=jans",
    "inum=1800.B78ABE,ou=scopes,o=jans",
    "inum=1800.78AB72,ou=scopes,o=jans",
    "inum=1800.6603D7,ou=scopes,o=jans",
    "inum=1800.80E813,ou=scopes,o=jans",
    "inum=1800.851F96,ou=scopes,o=jans",
    "inum=1800.F26ADB,ou=scopes,o=jans",
    "inum=1800.FFB14E,ou=scopes,o=jans",
    "inum=1800.DB7808,ou=scopes,o=jans",
    "inum=1800.2A78A2,ou=scopes,o=jans",
    "inum=1800.BF7929,ou=scopes,o=jans",
    "inum=1800.7C74EF,ou=scopes,o=jans",
    "inum=1800.16A52A,ou=scopes,o=jans",
    "inum=1800.B3DE34,ou=scopes,o=jans",
    "inum=1800.BB4924,ou=scopes,o=jans",
    "inum=1800.C3643E,ou=scopes,o=jans",
    "inum=1800.2E6877,ou=scopes,o=jans",
    "inum=1800.1FB883,ou=scopes,o=jans",
    "inum=1800.07CF32,ou=scopes,o=jans",
    "inum=1800.2A6299,ou=scopes,o=jans",
    "inum=1800.B143AF,ou=scopes,o=jans",
    "inum=1800.ABC3E9,ou=scopes,o=jans",
    "inum=1800.DB55BD,ou=scopes,o=jans",
    "inum=1800.3FD78D,ou=scopes,o=jans",
    "inum=1800.8FF3B1,ou=scopes,o=jans",
    "inum=1800.6DD93A,ou=scopes,o=jans",
    "inum=1800.6C7EEE,ou=scopes,o=jans",
    "inum=1800.294219,ou=scopes,o=jans",
    "inum=1800.DB3F77,ou=scopes,o=jans",
    "inum=1800.ADD2D8,ou=scopes,o=jans",
    "inum=1800.1D924F,ou=scopes,o=jans",
    "inum=1800.791CC0,ou=scopes,o=jans",
    "inum=1800.B3D9CC,ou=scopes,o=jans",
    "inum=1800.A866DE,ou=scopes,o=jans",
    "inum=1800.1B3C74,ou=scopes,o=jans",
    "inum=1800.5D47E2,ou=scopes,o=jans",
    "inum=1800.2B0607,ou=scopes,o=jans",
    "inum=1800.DC2700,ou=scopes,o=jans",
    "inum=1800.5109B3,ou=scopes,o=jans",
    "inum=1800.2813FB,ou=scopes,o=jans",
    "inum=1800.A1F30B,ou=scopes,o=jans",
    "inum=3283310f-5eac-4215-9259-5049089f8d58,ou=scopes,o=jans"
  ],
  "idTokenSignedResponseAlg": "RS256",

```



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

"baseDn": "inum=1800.04306989-dca7-4e71-bdaa-
a0c3a4065215,ou=clients,o=jans",
"frontChannelLogoutSessionRequired": false,
"customAttributes": [
  {
    "displayValue": "Jans Config Api Client",
    "values": [
      "Jans Config Api Client"
    ],
    "name": "displayName",
    "multiValued": false,
    "value": "Jans Config Api Client"
  }
],
},
{
  "accessTokenSigningAlg": "RS256",
  "applicationType": "web",
  "clientName": {
    "languageTags": [
      ""
    ],
    "values": {
      "": "Jans Config Api Client"
    },
    "value": "Jans Config Api Client"
  },
  "displayName": "Jans Config Api Client",
  "tokenBindingSupported": false,
  "deletable": false,
  "customObjectClasses": [
    "top"
  ],
  "dn": "inum=1802.8335ee64-1046-4e18-8e13-
061dfa8bd0c6,ou=clients,o=jans",
  "inum": "1802.8335ee64-1046-4e18-8e13-061dfa8bd0c6",
  "subjectType": "pairwise",
  "persistClientAuthorizations": true,
  "policyUri": {
  },
  "accessTokenAsJwt": false,
  "clientSecret": "3d7tyoQ8zrTm",
  "includeClaimsInIdToken": false,
  "disabled": false,
  "trustedClient": false,
  "responseTypes": [
    "code"
  ],
  "clientUri": {
  },
  "rptAsJwt": false,
  "logoUri": {
  },
  "grantTypes": [
    "authorization_code",
    "client_credentials",
    "refresh_token"
  ],
  "authenticationMethod": "client_secret_basic",
  "tokenEndpointAuthMethod": "client_secret_basic",
  "tosUri": {
  },
  "attributes": {
    "keepClientAuthorizationAfterExpiration": false,
    "allowSpontaneousScopes": false,
  },
  "runIntrospectionScriptBeforeAccessTokenAsJwtCreationAndIncludeClaims":
  false,
  "requirePar": false,
  "jansDefaultPromptLogin": false,
  "parLifetime": 600,
  "backchannelLogoutSessionRequired": false
},
"scopes": [
  "inum=1800.F6E078,ou=scopes,o=jans",
  "inum=1800.316C42,ou=scopes,o=jans",
  "inum=1800.4BDE76,ou=scopes,o=jans",
  "inum=1800.D113CB,ou=scopes,o=jans",
  "inum=1800.E15D77,ou=scopes,o=jans",
  "inum=1800.4C3B9B,ou=scopes,o=jans",
  "inum=1800.C543E2,ou=scopes,o=jans",
  "inum=1800.F1E764,ou=scopes,o=jans",

```



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

"inum=1800.AAC335,ou=scopes,o=jans",
"inum=1800.502B3F,ou=scopes,o=jans",
"inum=1800.CFBD51,ou=scopes,o=jans",
"inum=1800.4C0B58,ou=scopes,o=jans",
"inum=1800.7E9F42,ou=scopes,o=jans",
"inum=1800.3DCAE2,ou=scopes,o=jans",
"inum=1800.B78ABE,ou=scopes,o=jans",
"inum=1800.78AB72,ou=scopes,o=jans",
"inum=1800.6603D7,ou=scopes,o=jans",
"inum=1800.80E813,ou=scopes,o=jans",
"inum=1800.851F96,ou=scopes,o=jans",
"inum=1800.F26ADB,ou=scopes,o=jans",
"inum=1800.FFB14E,ou=scopes,o=jans",
"inum=1800.DB7808,ou=scopes,o=jans",
"inum=1800.2A78A2,ou=scopes,o=jans",
"inum=1800.BF7929,ou=scopes,o=jans",
"inum=1800.7C74EF,ou=scopes,o=jans",
"inum=1800.16A52A,ou=scopes,o=jans",
"inum=1800.B3DE34,ou=scopes,o=jans",
"inum=1800.BB4924,ou=scopes,o=jans",
"inum=1800.C3643E,ou=scopes,o=jans",
"inum=1800.2E6877,ou=scopes,o=jans",
"inum=1800.1FB883,ou=scopes,o=jans",
"inum=1800.07CF32,ou=scopes,o=jans",
"inum=1800.2A6299,ou=scopes,o=jans",
"inum=1800.B143AF,ou=scopes,o=jans",
"inum=1800.ABC3E9,ou=scopes,o=jans",
"inum=1800.DB55BD,ou=scopes,o=jans",
"inum=1800.3FD78D,ou=scopes,o=jans",
"inum=1800.8FF3B1,ou=scopes,o=jans",
"inum=1800.6DD93A,ou=scopes,o=jans",
"inum=1800.6C7EEE,ou=scopes,o=jans",
"inum=1800.294219,ou=scopes,o=jans",
"inum=1800.DB3F77,ou=scopes,o=jans",
"inum=1800.ADD2D8,ou=scopes,o=jans",
"inum=1800.1D924F,ou=scopes,o=jans",
"inum=1800.791CC0,ou=scopes,o=jans",
"inum=1800.B3D9CC,ou=scopes,o=jans",
"inum=1800.A866DE,ou=scopes,o=jans",
"inum=1800.1B3C74,ou=scopes,o=jans",
"inum=1800.5D47E2,ou=scopes,o=jans",
"inum=1800.2B0607,ou=scopes,o=jans",
"inum=1800.DC2700,ou=scopes,o=jans",
"inum=1800.5109B3,ou=scopes,o=jans",
"inum=1800.2813FB,ou=scopes,o=jans",
"inum=1800.A1F30B,ou=scopes,o=jans",
"inum=C4F7,ou=scopes,o=jans"
],
"idTokenSignedResponseAlg": "RS256",
"baseDn": "inum=1802.8335ee64-1046-4e18-8e13-061dfa8bd0c6,ou=clients,o=jans",
"frontChannelLogoutSessionRequired": false,
"customAttributes": [
  {
    "displayValue": "Jans Config Api Client",
    "values": [
      "Jans Config Api Client"
    ],
    "name": "displayName",
    "multiValued": false,
    "value": "Jans Config Api Client"
  }
]
},
{
  "accessTokenSigningAlg": "RS256",
  "applicationType": "native",
  "clientName": {
    "languageTags": [
      ""
    ],
    "values": {
      "": "SCIM client"
    },
    "value": "SCIM client"
  },
  "displayName": "SCIM client",
  "tokenBindingSupported": false,
  "customObjectClasses": [
    "top"
  ],
  "dn": "inum=1201.f968867a-c46c-49b3-8ac9-

```



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

62b24f885075,ou=clients,o=jans",
  "inum": "1201.f968867a-c46c-49b3-8ac9-62b24f885075",
  "subjectType": "pairwise",
  "persistClientAuthorizations": false,
  "policyUri": {
  },
  "accessTokenAsJwt": false,
  "clientSecret": "QQ5XCYZX8NJU",
  "includeClaimsInIdToken": false,
  "disabled": false,
  "trustedClient": false,
  "clientUri": {
  },
  "rptAsJwt": false,
  "logoUri": {
  },
  "redirectUris": [
    "https://jans.server3/.well-known/scim-configuration"
  ],
  "grantTypes": [
    "client_credentials"
  ],
  "authenticationMethod": "client_secret_basic",
  "tokenEndpointAuthMethod": "client_secret_basic",
  "tosUri": {
  },
  "attributes": {
    "keepClientAuthorizationAfterExpiration": false,
    "allowSpontaneousScopes": false,
  },
  "runIntrospectionScriptBeforeAccessTokenAsJwtCreationAndIncludeClaims":
  false,
  "requirePar": false,
  "jansDefaultPromptLogin": false,
  "parLifetime": 600,
  "backchannelLogoutSessionRequired": false
},
"scopes": [
  "inum=1200.868980,ou=scopes,o=jans",
  "inum=1200.DA9F23,ou=scopes,o=jans",
  "inum=1200.1E5EDC,ou=scopes,o=jans",
  "inum=1200.1B2BD7,ou=scopes,o=jans",
  "inum=1200.58D3E5,ou=scopes,o=jans",
  "inum=1200.025E9F,ou=scopes,o=jans",
  "inum=1200.A75C81,ou=scopes,o=jans",
  "inum=1200.395D8D,ou=scopes,o=jans",
  "inum=1200.C41F21,ou=scopes,o=jans",
  "inum=1200.0AEE65,ou=scopes,o=jans"
],
"baseDn": "inum=1201.f968867a-c46c-49b3-8ac9-
62b24f885075,ou=clients,o=jans",
"frontChannelLogoutSessionRequired": false,
"customAttributes": [
  {
    "displayValue": "SCIM client",
    "values": [
      "SCIM client"
    ],
    "name": "displayName",
    "multiValued": false,
    "value": "SCIM client"
  }
]
},
{
  "accessTokenSigningAlg": "RS256",
  "applicationType": "web",
  "clientName": {
    "languageTags": [
      ""
    ],
    "values": {
      "": "Jans Role Based Client"
    },
    "value": "Jans Role Based Client"
  },
  "displayName": "Jans Role Based Client",
  "tokenBindingSupported": false,
  "deletable": false,
  "customObjectClasses": [
    "top"
  ],

```



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

"dn": "inum=2000.553dda02-e697-4e04-b4a7-
bed63f4c18ad,ou=clients,o=jans",
"inum": "2000.553dda02-e697-4e04-b4a7-bed63f4c18ad",
"subjectType": "pairwise",
"userInfoSignedResponseAlg": "RS256",
"persistClientAuthorizations": true,
"policyUri": {
},
"accessTokenAsJwt": true,
"postLogoutRedirectUri": [
  "http://localhost:4100",
  "https://jans.server3/admin"
],
"clientSecret": "tiHM8o7VH8Ds",
"includeClaimsInIdToken": false,
"disabled": false,
"trustedClient": false,
"accessTokenLifetime": 2592000,
"responseTypes": [
  "code"
],
"clientUri": {
},
"rptAsJwt": false,
"frontChannelLogoutUri": "http://localhost:4100/logout",
"logoUri": {
},
"redirectUri": [
  "https://jans.server3/admin",
  "http://localhost:4100"
],
"grantTypes": [
  "authorization_code",
  "refresh_token",
  "client_credentials",
  "urn:ietf:params:oauth:grant-type:device_code"
],
"authenticationMethod": "client_secret_basic",
"tokenEndpointAuthMethod": "client_secret_basic",
"tosUri": {
},
"attributes": {
  "introspectionScripts": [
    "inum=A44E-4F3D,ou=scripts,o=jans"
  ],
  "keepClientAuthorizationAfterExpiration": false,
  "allowSpontaneousScopes": false,
"runIntrospectionScriptBeforeAccessTokenAsJwtCreationAndIncludeClaims":
false,
  "requirePar": false,
  "jansDefaultPromptLogin": false,
  "parLifetime": 600,
  "backchannelLogoutSessionRequired": false
},
"scopes": [
  "inum=C4F7,ou=scopes,o=jans",
  "inum=C4F6,ou=scopes,o=jans",
  "inum=43F1,ou=scopes,o=jans",
  "inum=764C,ou=scopes,o=jans",
  "inum=F0C4,ou=scopes,o=jans"
],
"idTokenSignedResponseAlg": "RS256",
"baseDn": "inum=2000.553dda02-e697-4e04-b4a7-
bed63f4c18ad,ou=clients,o=jans",
"frontChannelLogoutSessionRequired": false,
"customAttributes": [
  {
    "displayValue": "Jans Role Based Client",
    "values": [
      "Jans Role Based Client"
    ],
    "name": "displayName",
    "multiValued": false,
    "value": "Jans Role Based Client"
  }
]
},
{
  "applicationType": "web",
  "clientName": {
    "languageTags": [

```



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

""
],
"values": {
  "": "Jans Test Client (don't remove)"
},
"value": "Jans Test Client (don't remove)"
},
"displayName": "Jans Test Client (don't remove)",
"tokenBindingSupported": false,
"claimRedirectUri": [
  "https://jans.server3/jans-auth/restv1/uma/gather_claims"
],
"customObjectClasses": [
  "top"
],
"dn": "inum=FF81-2D39,ou=clients,o=jans",
"inum": "FF81-2D39",
"subjectType": "public",
"persistClientAuthorizations": false,
"policyUri": {
},
"accessTokenAsJwt": false,
"clientSecret": "FF81-2D39-jans",
"includeClaimsInIdToken": false,
"disabled": false,
"trustedClient": true,
"responseTypes": [
  "token",
  "code",
  "id_token"
],
"clientUri": {
},
"rptAsJwt": false,
"logoUri": {
},
"redirectUri": [
  "https://jans.server3/jans-auth-rp/home.htm",
  "https://client.example.com/cb",
  "https://client.example.com/cb1",
  "https://client.example.com/cb2"
],
"grantTypes": [
  "authorization_code",
  "implicit",
  "refresh_token",
  "client_credentials"
],
"authenticationMethod": "client_secret_basic",
"tokenEndpointAuthMethod": "client_secret_basic",
"tosUri": {
},
"attributes": {
  "keepClientAuthorizationAfterExpiration": false,
  "allowSpontaneousScopes": false,
}
"runIntrospectionScriptBeforeAccessTokenAsJwtCreationAndIncludeClaims":
false,
  "requirePar": false,
  "jansDefaultPromptLogin": false,
  "parLifetime": 600,
  "backchannelLogoutSessionRequired": false
},
"scopes": [
  "inum=F0C4,ou=scopes,o=jans",
  "inum=10B2,ou=scopes,o=jans",
  "inum=764C,ou=scopes,o=jans",
  "inum=43F1,ou=scopes,o=jans",
  "inum=341A,ou=scopes,o=jans",
  "inum=6D99,ou=scopes,o=jans"
],
"idTokenSignedResponseAlg": "RS256",
"baseDn": "inum=FF81-2D39,ou=clients,o=jans",
"frontChannelLogoutSessionRequired": false,
"customAttributes": [
  {
    "displayValue": "Jans Test Client (don't remove)",
    "values": [
      "Jans Test Client (don't remove)"
    ],
    "name": "displayName",
    "multiValued": false,
  }

```




Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

        "value": "Jans Test Client (don't remove)"
      }
    ]
  },
  {
    "applicationType": "web",
    "clientName": {
      "languageTags": [
        ""
      ],
      "values": {
        "": "Jans Test Resource Server Client (don't remove)"
      },
      "value": "Jans Test Resource Server Client (don't remove)"
    },
    "displayName": "Jans Test Resource Server Client (don't
remove)",
    "tokenBindingSupported": false,
    "claimRedirectUris": [
      "https://jans.server3/jans-auth/restv1/uma/gather_claims"
    ],
    "customObjectClasses": [
      "top"
    ],
    "dn": "inum=AB77-1A2B,ou=clients,o=jans",
    "inum": "AB77-1A2B",
    "subjectType": "public",
    "persistClientAuthorizations": false,
    "policyUri": {
    },
    "accessTokenAsJwt": false,
    "clientSecret": "AB77-1A2B-jans",
    "includeClaimsInIdToken": false,
    "disabled": false,
    "trustedClient": true,
    "responseTypes": [
      "code",
      "id_token"
    ],
    "clientUri": {
    },
    "rptAsJwt": false,
    "logoUri": {
    },
    "redirectUris": [
      "https://client.example.com/cb"
    ],
    "grantTypes": [
      "authorization_code",
      "implicit",
      "refresh_token",
      "client_credentials"
    ],
    "authenticationMethod": "client_secret_basic",
    "tokenEndpointAuthMethod": "client_secret_basic",
    "tosUri": {
    },
    "attributes": {
      "keepClientAuthorizationAfterExpiration": false,
      "allowSpontaneousScopes": false,
    },
    "runIntrospectionScriptBeforeAccessTokenAsJwtCreationAndIncludeClaims":
false,
    "requirePar": false,
    "jansDefaultPromptLogin": false,
    "parLifetime": 600,
    "backchannelLogoutSessionRequired": false
  },
  "scopes": [
    "inum=6D99,ou=scopes,o=jans",
    "inum=7D90,ou=scopes,o=jans"
  ],
  "idTokenSignedResponseAlg": "RS256",
  "baseDn": "inum=AB77-1A2B,ou=clients,o=jans",
  "frontChannelLogoutSessionRequired": false,
  "customAttributes": [
    {
      "displayValue": "Jans Test Resource Server Client (don't
remove)",
      "values": [
        "Jans Test Resource Server Client (don't remove)"
      ]
    }
  ]
}

```




Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

    "name": "displayName",
    "multiValued": false,
    "value": "Jans Test Resource Server Client (don't remove)"
  }
]
},
{
  "applicationType": "web",
  "clientName": {
    "languageTags": [
      ""
    ],
    "values": {
      "": "Jans Test Requesting Party Client (don't remove)"
    },
    "value": "Jans Test Requesting Party Client (don't remove)"
  },
  "displayName": "Jans Test Requesting Party Client (don't
remove)",
  "tokenBindingSupported": false,
  "customObjectClasses": [
    "top"
  ],
  "dn": "inum=3E20,ou=clients,o=jans",
  "inum": "3E20",
  "subjectType": "public",
  "persistClientAuthorizations": false,
  "policyUri": {
  },
  "accessTokenAsJwt": false,
  "clientSecret": "3E20-jans",
  "includeClaimsInIdToken": false,
  "disabled": false,
  "trustedClient": true,
  "responseTypes": [
    "code",
    "id_token"
  ],
  "clientUri": {
  },
  "rptAsJwt": false,
  "logoUri": {
  },
  "redirectUris": [
    "https://client.example.com/cb"
  ],
  "grantTypes": [
    "authorization_code",
    "implicit",
    "refresh_token",
    "client_credentials"
  ],
  "authenticationMethod": "client_secret_basic",
  "tokenEndpointAuthMethod": "client_secret_basic",
  "tosUri": {
  },
  "attributes": {
    "keepClientAuthorizationAfterExpiration": false,
    "allowSpontaneousScopes": false,
  },
  "runIntrospectionScriptBeforeAccessTokenAsJwtCreationAndIncludeClaims":
false,
  "requirePar": false,
  "jansDefaultPromptLogin": false,
  "parLifetime": 600,
  "backchannelLogoutSessionRequired": false
},
  "idTokenSignedResponseAlg": "RS256",
  "baseDn": "inum=3E20,ou=clients,o=jans",
  "frontChannelLogoutSessionRequired": false,
  "customAttributes": [
    {
      "displayValue": "Jans Test Requesting Party Client (don't
remove)",
      "values": [
        "Jans Test Requesting Party Client (don't remove)"
      ],
      "name": "displayName",
      "multiValued": false,
      "value": "Jans Test Requesting Party Client (don't
remove)"
    }
  ]
}

```



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

```

    ]
  }
  ],
  "start": 0,
  "totalEntriesCount": 7
}

```

Scenario: [3:22] **Fetch the first three openidconnect clients**

Test 11 : * def mainUrl = openidclients_url

0.000012

Test 12 : Given url mainUrl

0.000007

Test 13 : And header Authorization = 'Bearer ' + accessToken

0.000108

Test 14 : And param limit = 3

0.001718

Test 15 : When method GET

0.039507

Test 16 : Then status 200

0.000005

Test 17 : And print response

0.000704

Scenario: [4:32] **Search openid connect clients given a serach pattern**

Test 18 : * def mainUrl = openidclients_url

0.000011

Test 19 : Given url mainUrl

0.000004

Test 20 : And header Authorization = 'Bearer ' + accessToken

0.000068

Test 21 : And param limit = 1

0.009211

Test 22 : When method GET

0.056856

Test 23 : Then status 200

0.000006

Test 24 : And print response

0.000398

Test 25 : Given url mainUrl

0.000006

Test 26 : And header Authorization = 'Bearer ' + accessToken

0.000089

Test 27 : And param pattern = response.entries[0].displayName

0.002018

Test 28 : And print 'pattern = '+pattern

0.002341

Test 29 : When method GET

0.05747

Test 30 : Then status 200

0.000008

Test 31 : And print response

0.00056

Scenario: [5:48] **Search openid connect clients given a serach pattern and pagination**



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

Test 32 : * def mainUrl = openidclients_url

0.000011

Test 33 : Given url mainUrl

0.000004

Test 34 : And header Authorization = 'Bearer ' + accessToken

0.000074

Test 35 : And param pattern = 'test'

0.001791

Test 36 : And param limit = 10

0.002409

Test 37 : And param startIndex = 1

0.000064

Test 38 : When method GET

0.037148

Test 39 : Then status 200

0.000005

Test 40 : And print response

0.00058

Scenario: [6:58] **Get an openid connect client by inum(unexisting client)**

Test 41 : * def mainUrl = openidclients_url

0.00001

Test 42 : Given url mainUrl + '/5355353272727272'

0.001728

Test 43 : And header Authorization = 'Bearer ' + accessToken

0.000097

Test 44 : When method GET

0.046016

Test 45 : Then status 404

0.000008

Scenario: [7:65] **Get an openid connect client by inum**

Test 46 : * def mainUrl = openidclients_url

0.000016

Test 47 : Given url mainUrl

0.000009

Test 48 : And header Authorization = 'Bearer ' + accessToken

0.000095

Test 49 : When method GET

0.046306

Test 50 : Then status 200

0.00001

Test 51 : Given url mainUrl + '/' +response.entries[0].inum

0.002218

Test 52 : And header Authorization = 'Bearer ' + accessToken

0.00011

Test 53 : When method GET

0.038909

Test 54 : Then status 200

0.000009

Test 55 : And print response

0.000481



Test Suite Navigation

of failed tests: 0/61
(0.00%)

of skipped tests: 0/61
(0.00%)

of passed tests: 61/61
(100.00%)

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61					

Scenario: [9:101] **Delete a non-existence openid connect client by inum**

Test 56 : * def mainUrl = openidclients_url

0.000024

Test 57 : Given url mainUrl + '/1402.66633-8675-473e-a749'

0.0002

Test 58 : And header Authorization = 'Bearer ' + accessToken

0.000056

Test 59 : When method GET

0.042732

Test 60 : Then status 404

0.000005

Test 61 : And print response

0.000212