

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

### io.airbyte.integrations.source.elasticsearch.ElasticsearchSourceAcceptanceTest

#### testIdenticalFullRefreshes()

passed 27.20 s

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
WORKER\_ENVIRONMENT: 'DOCKER'

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_REQUEST: 'null'

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_LIMIT: 'null'

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_REQUEST: 'null'

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_LIMIT: 'null'

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_TOLERATIONS: ''

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_NODE\_SELECTORS: ''

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_ANNOTATIONS: ''

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_SECRET: ''

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:20:50

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_SIDE\_CAR\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:20:50

INFO

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
... ~
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_CURL_IMAGE: 'curlimages/curl:7.83.1'
2022-07-01 06:20:50
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
WORKER_ENVIRONMENT: 'DOCKER'
2022-07-01 06:20:50
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
DEPLOYMENT_MODE: 'OSS'
2022-07-01 06:20:50
INFO
o.t.u.ImageNameSubstitutor(instance):50 - Image name substitution will be performed by:
DefaultImageNameSubstitutor (composite of 'ConfigurationFileImageNameSubstitutor' and
'PrefixingImageNameSubstitutor')
2022-07-01 06:20:50
INFO
o.t.d.DockerClientProviderStrategy(lambda$getFirstValidStrategy$3):136 - Loaded
org.testcontainers.dockerclient.UnixSocketClientProviderStrategy from ~/.testcontainers.properties, will
try it first
2022-07-01 06:20:54
INFO
o.t.d.DockerClientProviderStrategy(lambda$getFirstValidStrategy$6):158 - Found Docker environment
with local Unix socket (unix:///var/run/docker.sock)
2022-07-01 06:20:54
INFO
o.t.DockerClientFactory(client):180 - Docker host IP address is localhost
2022-07-01 06:20:54
INFO
o.t.DockerClientFactory(client):192 - Connected to docker:
Server Version: 20.10.14
API Version: 1.41
Operating System: Docker Desktop
Total Memory: 2990 MB
2022-07-01 06:20:54
INFO
o.t.u.RegistryAuthLocator(runCredentialProvider):244 - Credential helper/store (docker-credential-
desktop) does not have credentials for index.docker.io
2022-07-01 06:20:55
INFO
o.t.DockerClientFactory(client):210 - Ryuk started - will monitor and terminate Testcontainers containers
on JVM exit
2022-07-01 06:20:55
INFO
o.t.DockerClientFactory(client):221 - Checking the system...
2022-07-01 06:20:55
INFO
o.t.DockerClientFactory(check):295 - ✓ Docker server version should be at least 1.6.0
2022-07-01 06:20:55
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

2022-07-01 06:20:55

INFO

o.t.c.GenericContainer(tryStart):357 - Creating container for image:  
docker.elastic.co/elasticsearch/elasticsearch:7.15.1

2022-07-01 06:20:55

INFO

o.t.u.RegistryAuthLocator(runCredentialProvider):244 - Credential helper/store (docker-credential-  
desktop) does not have credentials for docker.elastic.co

2022-07-01 06:20:55

INFO

o.t.c.GenericContainer(tryStart):418 - Starting container with ID:  
2e36cc467ee20bbe2e599d5a8b350ac38a1edaa20016106d21574cce40f0b1e

2022-07-01 06:20:56

INFO

o.t.c.GenericContainer(tryStart):422 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1 is  
starting: 2e36cc467ee20bbe2e599d5a8b350ac38a1edaa20016106d21574cce40f0b1e

2022-07-01 06:20:56

INFO

o.t.c.w.s.HttpWaitStrategy(waitUntilReady):198 - /awesome\_lovelace: Waiting for 60 seconds for URL:  
http://localhost:55087/ (where port 55087 maps to container port 9200)

2022-07-01 06:21:08

INFO

o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1  
started in PT12.974685S

2022-07-01 06:21:10

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample

2022-07-01 06:21:10

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED

2022-07-01 06:21:11

INFO

i.a.c.i.LineGobbler(voidCall):82 - Checking if airbyte/source-elasticsearch:dev exists...

2022-07-01 06:21:11

INFO

i.a.c.i.LineGobbler(voidCall):82 - airbyte/source-elasticsearch:dev was found locally.

2022-07-01 06:21:11

INFO

i.a.w.p.DockerProcessFactory(create):108 - Creating docker job ID: 0

2022-07-01 06:21:11

INFO

i.a.w.p.DockerProcessFactory(create):163 - Preparing command: docker run --rm --init -i -w /data/job --  
log-driver none --name source-elasticsearch-read-0-0-jubcb --network host -v  
/tmp/airbyte\_tests/test13568026605524762354:/data -v  
/tmp/airbyte\_tests/output9375620320563846539:/local -e DEPLOYMENT\_MODE=OSS -e  
WORKER\_ENVIRONMENT=DOCKER -e AIRBYTE\_ROLE= -e  
WORKER\_CONNECTOR\_IMAGE=airbyte/source-elasticsearch:dev -e WORKER\_JOB\_ATTEMPT=0 -  
e AIRBYTE\_VERSION= -e WORKER\_JOB\_ID=0 airbyte/source-elasticsearch:dev read --config  
source\_config.json --catalog source\_catalog.json

2022-07-01 06:21:12

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
2022-07-01 06:21:12
INFO
i.a.i.b.IntegrationCliParser(parseOptions):118 - integration args: {read=null,
catalog=source_catalog.json, config=source_config.json}
2022-07-01 06:21:12
source
> 2022-07-01 06:21:13
INFO
i.a.i.b.IntegrationRunner(runInternal):123 - Running integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:21:12
source
> 2022-07-01 06:21:13
INFO
i.a.i.b.IntegrationRunner(runInternal):124 - Command: READ
2022-07-01 06:21:13
source
> 2022-07-01 06:21:13
INFO
i.a.i.b.IntegrationRunner(runInternal):125 - Integration config: IntegrationConfig{command=READ,
configPath='source_config.json', catalogPath='source_catalog.json', statePath='null'}
2022-07-01 06:21:13
source
> 2022-07-01 06:21:13
WARN
c.n.s.JsonMetaSchema(newValidator):338 - Unknown keyword airbyte_secret - you should define your
own Meta Schema. If the keyword is irrelevant for validation, just use a NonValidationKeyword
2022-07-01 06:21:13
source
> 2022-07-01 06:21:13
INFO
i.a.i.s.e.ElasticsearchConnection():51 - creating ElasticsearchConnection: http://localhost:55087
2022-07-01 06:21:13
source
> 2022-07-01 06:21:13
INFO
i.a.i.s.e.ElasticsearchConnection(getRecords):190 - Running scroll query with scrollId
FGluY2x1ZGVfY29udGV4dF91dWlkDXF1ZXJ5QW5kRmV0Y2gBFnpadh0N1ZEUKRLNUN3STJzWU5r
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
INFO
i.a.i.s.e.ElasticsearchConnection(getRecords):212 - scroll response cleared successfully
2022-07-01 06:21:14
WARN
c.n.s.JsonMetaSchema(newValidator):338 - Unknown keyword existingJavaType - you should define
your own Meta Schema. If the keyword is irrelevant for validation, just use a NonValidationKeyword
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

~::~~
> Please check with maintainers if the connector or library code should safely clean up its threads
before quitting instead.
2022-07-01 06:21:14
source
> The main thread is: main (RUNNABLE)
2022-07-01 06:21:14
source
> Thread stacktrace: java.base/java.lang.Thread.getStackTrace(Thread.java:1610)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.base.IntegrationRunner.dumpThread(IntegrationRunner.java:276)
2022-07-01 06:21:14
source
> at
io.airbyte.integrations.base.IntegrationRunner.waitForOrphanThreads(IntegrationRunner.java:245)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.base.IntegrationRunner.produceMessages(IntegrationRunner.java:175)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.base.IntegrationRunner.lambda$runInternal$0(IntegrationRunner.java:156)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.base.sentry.AirbyteSentry.executeWithTracing(AirbyteSentry.java:54)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.base.sentry.AirbyteSentry.executeWithTracing(AirbyteSentry.java:38)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.base.IntegrationRunner.runInternal(IntegrationRunner.java:156)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.base.IntegrationRunner.run(IntegrationRunner.java:107)
2022-07-01 06:21:14
source
> at io.airbyte.integrations.source.elasticsearch.ElasticsearchSource.main(ElasticsearchSource.java:28)
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: pool-2-thread-1
(RUNNABLE)
2022-07-01 06:21:14
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:14

```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor.execute(AbstractMultiworkerIOReac
2022-07-01 06:21:14
source
> at
app/org.apache.http.impl.nio.conn.PoolingNHttpClientConnectionManager.execute(PoolingNHttpClientC
2022-07-01 06:21:14
source
> at
app/org.apache.http.impl.nio.client.CloseableHttpAsyncClientBase$1.run(CloseableHttpAsyncClientBas
2022-07-01 06:21:14
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 1
(RUNNABLE)
2022-07-01 06:21:14
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:14
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:14
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:21:14
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:21:14
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 2
(RUNNABLE)
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
~~~~~
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:14
source
> at app//org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:14
source
> at app//org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:21:14
source
> at
app//org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:21:14
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 3
(RUNNABLE)
2022-07-01 06:21:14
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:14
source
> at app//org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:14
source
> at app//org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:21:14
source
> at
app//org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:21:14
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:14
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

- Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118),
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:14
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:14
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:14
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:21:14
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:21:14
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
INFO
i.a.i.s.e.ElasticsearchSource(lambda$read$1):101 - Closing server connection.
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
INFO
i.a.i.s.e.ElasticsearchSource(lambda$read$1):103 - Closed server connection.
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
INFO
i.a.i.b.IntegrationRunner(runInternal):171 - Completed integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:21:14
source
> 2022-07-01 06:21:14
INFO
i.a.i.s.e.ElasticsearchSource(main):29 - completed Source: class
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:21:14
INFO
i.a.c.i.LineGobbler(voidCall):82 - Checking if airbyte/source-elasticsearch:dev exists...
2022-07-01 06:21:14
INFO

```



# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
log error: java.lang.IllegalArgumentException: read is not a supported network protocol
/tmp/airbyte_tests/test13568026605524762354:/data -v
/tmp/airbyte_tests/output9375620320563846539:/local -e DEPLOYMENT_MODE=OSS -e
WORKER_ENVIRONMENT=DOCKER -e AIRBYTE_ROLE= -e
WORKER_CONNECTOR_IMAGE=airbyte/source-elasticsearch:dev -e WORKER_JOB_ATTEMPT=0 -
e AIRBYTE_VERSION= -e WORKER_JOB_ID=0 airbyte/source-elasticsearch:dev read --config
source_config.json --catalog source_catalog.json
2022-07-01 06:21:15
source
> 2022-07-01 06:21:16
INFO
i.a.i.s.e.ElasticsearchSource(main):27 - starting Source: class
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:21:16
source
> 2022-07-01 06:21:16
INFO
i.a.i.b.IntegrationCliParser(parseOptions):118 - integration args: {read=null,
catalog=source_catalog.json, config=source_config.json}
2022-07-01 06:21:16
source
> 2022-07-01 06:21:16
INFO
i.a.i.b.IntegrationRunner(runInternal):123 - Running integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:21:16
source
> 2022-07-01 06:21:16
INFO
i.a.i.b.IntegrationRunner(runInternal):124 - Command: READ
2022-07-01 06:21:16
source
> 2022-07-01 06:21:16
INFO
i.a.i.b.IntegrationRunner(runInternal):125 - Integration config: IntegrationConfig{command=READ,
configPath='source_config.json', catalogPath='source_catalog.json', statePath='null'}
2022-07-01 06:21:16
source
> 2022-07-01 06:21:16
WARN
c.n.s.JsonMetaSchema(newValidator):338 - Unknown keyword airbyte_secret - you should define your
own Meta Schema. If the keyword is irrelevant for validation, just use a NonValidationKeyword
2022-07-01 06:21:16
source
> 2022-07-01 06:21:16
INFO
i.a.i.s.e.ElasticsearchConnection():51 - creating ElasticsearchConnection: http://localhost:55087
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

io.airbyte.elasticsearch.connector(ConnectorSource), etc...
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):241 - The main thread is exiting while children non-
daemon threads from a connector are still active.
2022-07-01 06:21:17
source
> Ideally, this situation should not happen...
2022-07-01 06:21:17
source
> Please check with maintainers if the connector or library code should safely clean up its threads
before quitting instead.
2022-07-01 06:21:17
source
> The main thread is: main (RUNNABLE)
2022-07-01 06:21:17
source
> Thread stacktrace: java.base/java.lang.Thread.getStackTrace(Thread.java:1610)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.base.IntegrationRunner.dumpThread(IntegrationRunner.java:276)
2022-07-01 06:21:17
source
> at
io.airbyte.integrations.base.IntegrationRunner.watchForOrphanThreads(IntegrationRunner.java:245)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.base.IntegrationRunner.produceMessages(IntegrationRunner.java:175)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.base.IntegrationRunner.lambda$runInternal$0(IntegrationRunner.java:156)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.base.sentry.AirbyteSentry.executeWithTracing(AirbyteSentry.java:54)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.base.sentry.AirbyteSentry.executeWithTracing(AirbyteSentry.java:38)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.base.IntegrationRunner.runInternal(IntegrationRunner.java:156)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.base.IntegrationRunner.run(IntegrationRunner.java:107)
2022-07-01 06:21:17
source
> at io.airbyte.integrations.source.elasticsearch.ElasticsearchSource.main(ElasticsearchSource.java:28)
2022-07-01 06:21:17
source

```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:17
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor.execute(AbstractMultiworkerIOReac
2022-07-01 06:21:17
source
> at
app/org.apache.http.impl.nio.conn.PoolingNHttpClientConnectionManager.execute(PoolingNHttpClientC
2022-07-01 06:21:17
source
> at
app/org.apache.http.impl.nio.client.CloseableHttpAsyncClientBase$1.run(CloseableHttpAsyncClientBas
2022-07-01 06:21:17
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 1
(RUNNABLE)
2022-07-01 06:21:17
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:17
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:17
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:21:17
source

```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
2022-07-01 06:21:17
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 2
(RUNNABLE)
2022-07-01 06:21:17
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:17
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:17
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:21:17
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:21:17
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 3
(RUNNABLE)
2022-07-01 06:21:17
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:17
source
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:17
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 4
(RUNNABLE)
2022-07-01 06:21:17
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:21:17
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:21:17
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:21:17
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:21:17
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:21:17
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
INFO
i.a.i.s.e.ElasticsearchSource(lambda$read$1):101 - Closing server connection.
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
INFO
i.a.i.s.e.ElasticsearchSource(lambda$read$1):103 - Closed server connection.
2022-07-01 06:21:17
source
> 2022-07-01 06:21:17
INFO

```

# ElasticsearchSourceAcceptanceTest: 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

## testEntrypointEnvVar()

passed 16.91 s

```
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
WORKER_ENVIRONMENT: 'DOCKER'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_MAIN_CONTAINER_CPU_REQUEST: 'null'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_MAIN_CONTAINER_CPU_LIMIT: 'null'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_MAIN_CONTAINER_MEMORY_REQUEST: 'null'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_MAIN_CONTAINER_MEMORY_LIMIT: 'null'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_TOLERATIONS: ''
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_NODE_SELECTORS: ''
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_ANNOTATIONS: ''
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_MAIN_CONTAINER_IMAGE_PULL_SECRET: ''
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_MAIN_CONTAINER_IMAGE_PULL_POLICY: 'IfNotPresent'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_SIDE_CAR_CONTAINER_IMAGE_PULL_POLICY: 'IfNotPresent'
2022-07-01 06:21:17
INFO
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
... ~
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_CURL_IMAGE: 'curlimages/curl:7.83.1'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
WORKER_ENVIRONMENT: 'DOCKER'
2022-07-01 06:21:17
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
DEPLOYMENT_MODE: 'OSS'
2022-07-01 06:21:17
INFO
o.t.e.ElasticsearchContainer():73 - Starting an elasticsearch container using
[docker.elastic.co/elasticsearch/elasticsearch:7.15.1]
2022-07-01 06:21:17
INFO
o.t.c.GenericContainer(tryStart):357 - Creating container for image:
docker.elastic.co/elasticsearch/elasticsearch:7.15.1
2022-07-01 06:21:17
INFO
o.t.c.GenericContainer(tryStart):418 - Starting container with ID:
0b55fff596630b4aa150fb9f778629af765d4328eb55b6d90f3f0c37b435e476
2022-07-01 06:21:18
INFO
o.t.c.GenericContainer(tryStart):422 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1 is
starting: 0b55fff596630b4aa150fb9f778629af765d4328eb55b6d90f3f0c37b435e476
2022-07-01 06:21:18
INFO
o.t.c.w.s.HttpWaitStrategy(waitUntilReady):198 - /xenodochial_volhard: Waiting for 60 seconds for URL:
http://localhost:55089/ (where port 55089 maps to container port 9200)
2022-07-01 06:21:32
INFO
o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1
started in PT14.687183S
2022-07-01 06:21:32
INFO
i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample
2022-07-01 06:21:33
INFO
i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED
2022-07-01 06:21:33
INFO
i.a.c.i.LineGobbler(voidCall):82 - Checking if airbyte/source-elasticsearch:dev exists...
2022-07-01 06:21:33
INFO
i.a.c.i.LineGobbler(voidCall):82 - airbyte/source-elasticsearch:dev was found locally.
2022-07-01 06:21:33
INFO
```

# ElasticsearchSourceAcceptanceTest: 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

WORKER\_ENVIRONMENT: DOCKER START\_BYTE\_ROLE: START\_BYTE\_VERSION: snryppm  
printenv airbyte/source-elasticsearch:dev

## testIncrementalSyncWithState()

passed 15.26 s

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
WORKER\_ENVIRONMENT: 'DOCKER'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_REQUEST: 'null'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_LIMIT: 'null'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_REQUEST: 'null'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_LIMIT: 'null'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_TOLERATIONS: ''

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_NODE\_SELECTORS: ''

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_ANNOTATIONS: ''

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_SECRET: ''

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_SIDE\_CAR\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:21:34

INFO



# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

... ~

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_CURL\_IMAGE: 'curlimages/curl:7.83.1'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
WORKER\_ENVIRONMENT: 'DOCKER'

2022-07-01 06:21:34

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
DEPLOYMENT\_MODE: 'OSS'

2022-07-01 06:21:34

INFO

o.t.e.ElasticsearchContainer():73 - Starting an elasticsearch container using  
[docker.elastic.co/elasticsearch/elasticsearch:7.15.1]

2022-07-01 06:21:34

INFO

o.t.c.GenericContainer(tryStart):357 - Creating container for image:  
docker.elastic.co/elasticsearch/elasticsearch:7.15.1

2022-07-01 06:21:34

INFO

o.t.c.GenericContainer(tryStart):418 - Starting container with ID:  
fbf0dbf2eecaa0d551d5735cf8117222752b068d856b7c0454f655289873d924

2022-07-01 06:21:35

INFO

o.t.c.GenericContainer(tryStart):422 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1 is  
starting: fbf0dbf2eecaa0d551d5735cf8117222752b068d856b7c0454f655289873d924

2022-07-01 06:21:35

INFO

o.t.c.w.s.HttpWaitStrategy(waitUntilReady):198 - /gallant\_poincare: Waiting for 60 seconds for URL:  
http://localhost:55091/ (where port 55091 maps to container port 9200)

2022-07-01 06:21:48

INFO

o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1  
started in PT13.534856S

2022-07-01 06:21:49

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample  
2022-07-01 06:21:49

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED

**testEmptyStateIncrementalIdenticalToFullRefresh()**

passed 17.51 s

2022-07-01 06:21:49

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
WORKER\_ENVIRONMENT: 'DOCKER'

2022-07-01 06:21:49

INFO

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
... ~
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_MAIN_CONTAINER_MEMORY_REQUEST: 'null'
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_MAIN_CONTAINER_MEMORY_LIMIT: 'null'
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_TOLERATIONS: ''
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_NODE_SELECTORS: ''
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_ANNOTATIONS: ''
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_MAIN_CONTAINER_IMAGE_PULL_SECRET: ''
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_MAIN_CONTAINER_IMAGE_PULL_POLICY: 'IfNotPresent'
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_SIDECAR_CONTAINER_IMAGE_PULL_POLICY: 'IfNotPresent'
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_SOCAT_IMAGE: 'alpine/socat:1.7.4.3-r0'
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_BUSYBOX_IMAGE: 'busybox:1.28'
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_CURL_IMAGE: 'curlimages/curl:7.83.1'
2022-07-01 06:21:49
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
WORKER_ENVIRONMENT: 'DOCKER'
2022-07-01 06:21:49
INFO
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

... ~

o.t.c.GenericContainer(tryStart):357 - Creating container for image:

docker.elastic.co/elasticsearch/elasticsearch:7.15.1

2022-07-01 06:21:50

INFO

o.t.c.GenericContainer(tryStart):418 - Starting container with ID:

3080f2a52fe29fd3e426e88d20263bd07aac1973a26c79b8dc64e5976984fb80

2022-07-01 06:21:50

INFO

o.t.c.GenericContainer(tryStart):422 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1 is

starting: 3080f2a52fe29fd3e426e88d20263bd07aac1973a26c79b8dc64e5976984fb80

2022-07-01 06:21:50

INFO

o.t.c.w.s.HttpWaitStrategy(waitUntilReady):198 - /epic\_visvesvaraya: Waiting for 60 seconds for URL:

http://localhost:55093/ (where port 55093 maps to container port 9200)

2022-07-01 06:22:06

INFO

o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1

started in PT16.689992S

2022-07-01 06:22:07

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample

2022-07-01 06:22:07

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED

**testGetSpec()**

passed 17.06 s

2022-07-01 06:22:07

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable

WORKER\_ENVIRONMENT: 'DOCKER'

2022-07-01 06:22:07

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable

JOB\_MAIN\_CONTAINER\_CPU\_REQUEST: 'null'

2022-07-01 06:22:07

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable

JOB\_MAIN\_CONTAINER\_CPU\_LIMIT: 'null'

2022-07-01 06:22:07

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable

JOB\_MAIN\_CONTAINER\_MEMORY\_REQUEST: 'null'

2022-07-01 06:22:07

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable

JOB\_MAIN\_CONTAINER\_MEMORY\_LIMIT: 'null'

2022-07-01 06:22:07

INFO

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
... ~
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_ANNOTATIONS: "
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_MAIN_CONTAINER_IMAGE_PULL_SECRET: "
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_MAIN_CONTAINER_IMAGE_PULL_POLICY: 'IfNotPresent'
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_SIDE_CAR_CONTAINER_IMAGE_PULL_POLICY: 'IfNotPresent'
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_Socat_IMAGE: 'alpine/socat:1.7.4.3-r0'
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_BusyBox_IMAGE: 'busybox:1.28'
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
JOB_KUBE_CURL_IMAGE: 'curlimages/curl:7.83.1'
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
WORKER_ENVIRONMENT: 'DOCKER'
2022-07-01 06:22:07
INFO
i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable
DEPLOYMENT_MODE: 'OSS'
2022-07-01 06:22:07
INFO
o.t.e.ElasticsearchContainer():73 - Starting an elasticsearch container using
[docker.elastic.co/elasticsearch/elasticsearch:7.15.1]
2022-07-01 06:22:07
INFO
o.t.c.GenericContainer(tryStart):357 - Creating container for image:
docker.elastic.co/elasticsearch/elasticsearch:7.15.1
2022-07-01 06:22:07
INFO
o.t.c.GenericContainer(tryStart):418 - Starting container with ID:
d3cbe9ad010b4cf8e030a5480b8e83d138d4b9e8a15af721ed9e96c4ef85b134
2022-07-01 06:22:07
INFO
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
... ~
o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1
started in PT13.680345S
2022-07-01 06:22:21
INFO
i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample
2022-07-01 06:22:21
INFO
i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED
2022-07-01 06:22:21
INFO
i.a.c.i.LineGobbler(voidCall):82 - Checking if airbyte/source-elasticsearch:dev exists...
2022-07-01 06:22:22
INFO
i.a.c.i.LineGobbler(voidCall):82 - airbyte/source-elasticsearch:dev was found locally.
2022-07-01 06:22:22
INFO
i.a.w.p.DockerProcessFactory(create):108 - Creating docker job ID: 0
2022-07-01 06:22:22
INFO
i.a.w.p.DockerProcessFactory(create):163 - Preparing command: docker run --rm --init -i -w /data/job --
log-driver none --name source-elasticsearch-spec-0-0-eqwer --network host -v
/tmp/airbyte_tests/test4280361938235727147:/data -v
/tmp/airbyte_tests/output12532992232873551183:/local -e DEPLOYMENT_MODE=OSS -e
WORKER_ENVIRONMENT=DOCKER -e AIRBYTE_ROLE= -e
WORKER_CONNECTOR_IMAGE=airbyte/source-elasticsearch:dev -e WORKER_JOB_ATTEMPT=0 -
e AIRBYTE_VERSION= -e WORKER_JOB_ID=0 airbyte/source-elasticsearch:dev spec
2022-07-01 06:22:23
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:22:23
INFO
i.a.i.s.e.ElasticsearchSource(main):27 - starting Source: class
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:22:23
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:22:23
INFO
i.a.i.b.IntegrationCliParser(parseOptions):118 - integration args: {spec=null}
2022-07-01 06:22:23
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:22:23
INFO
i.a.i.b.IntegrationRunner(runInternal):123 - Running integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:22:23
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:22:23
INFO
i.a.i.b.IntegrationRunner(runInternal):124 - Command: SPEC
2022-07-01 06:22:23
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
WORKER\_ENVIRONMENT: 'DOCKER'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_REQUEST: 'null'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_LIMIT: 'null'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_REQUEST: 'null'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_LIMIT: 'null'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_TOLERATIONS: ''

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_NODE\_SELECTORS: ''

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_ANNOTATIONS: ''

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_SECRET: ''

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_SIDECAR\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_SOCAT\_IMAGE: 'alpine/socat:1.7.4.3-r0'

2022-07-01 06:22:24

INFO

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

... ~

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
WORKER\_ENVIRONMENT: 'DOCKER'

2022-07-01 06:22:24

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
DEPLOYMENT\_MODE: 'OSS'

2022-07-01 06:22:24

INFO

o.t.e.ElasticsearchContainer():73 - Starting an elasticsearch container using  
[docker.elastic.co/elasticsearch/elasticsearch:7.15.1]

2022-07-01 06:22:24

INFO

o.t.c.GenericContainer(tryStart):357 - Creating container for image:  
docker.elastic.co/elasticsearch/elasticsearch:7.15.1

2022-07-01 06:22:24

INFO

o.t.c.GenericContainer(tryStart):418 - Starting container with ID:  
5813a976c88cc97ac91597755bf2507b06a06fc7b2d95054d12e4242ab2b3a8c

2022-07-01 06:22:24

INFO

o.t.c.GenericContainer(tryStart):422 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1 is  
starting: 5813a976c88cc97ac91597755bf2507b06a06fc7b2d95054d12e4242ab2b3a8c

2022-07-01 06:22:25

INFO

o.t.c.w.s.HttpWaitStrategy(waitUntilReady):198 - /upbeat\_hellman: Waiting for 60 seconds for URL:  
http://localhost:55097/ (where port 55097 maps to container port 9200)

2022-07-01 06:22:44

INFO

o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1  
started in PT19.755758S

2022-07-01 06:22:45

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample  
2022-07-01 06:22:46

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED  
2022-07-01 06:22:46

INFO

i.a.c.i.LineGobbler(voidCall):82 - Checking if airbyte/source-elasticsearch:dev exists...

2022-07-01 06:22:46

INFO

i.a.c.i.LineGobbler(voidCall):82 - airbyte/source-elasticsearch:dev was found locally.

2022-07-01 06:22:46

INFO

i.a.w.p.DockerProcessFactory(create):108 - Creating docker job ID: 0

2022-07-01 06:22:46

INFO

i.a.w.p.DockerProcessFactory(create):163 - Preparing command: docker run --rm --init -i -w /data/job --  
log-driver none --name source-elasticsearch-read-0-0-uquvc --network host -v

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
~~~~~
> 2022-07-01 06:22:48
INFO
i.a.i.s.e.ElasticsearchSource(main):27 - starting Source: class
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:22:48
source
> 2022-07-01 06:22:48
INFO
i.a.i.b.IntegrationCliParser(parseOptions):118 - integration args: {read=null,
catalog=source_catalog.json, config=source_config.json}
2022-07-01 06:22:48
source
> 2022-07-01 06:22:48
INFO
i.a.i.b.IntegrationRunner(runInternal):123 - Running integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:22:48
source
> 2022-07-01 06:22:48
INFO
i.a.i.b.IntegrationRunner(runInternal):124 - Command: READ
2022-07-01 06:22:48
source
> 2022-07-01 06:22:48
INFO
i.a.i.b.IntegrationRunner(runInternal):125 - Integration config: IntegrationConfig{command=READ,
configPath='source_config.json', catalogPath='source_catalog.json', statePath='null'}
2022-07-01 06:22:48
source
> 2022-07-01 06:22:48
WARN
c.n.s.JsonMetaSchema(newValidator):338 - Unknown keyword airbyte_secret - you should define your
own Meta Schema. If the keyword is irrelevant for validation, just use a NonValidationKeyword
2022-07-01 06:22:48
source
> 2022-07-01 06:22:48
INFO
i.a.i.s.e.ElasticsearchConnection():51 - creating ElasticsearchConnection: http://localhost:55097
2022-07-01 06:22:49
source
> 2022-07-01 06:22:49
INFO
i.a.i.s.e.ElasticsearchConnection(getRecords):190 - Running scroll query with scrollId
FGluY2x1ZGVfY29udGV4dF91dWlkDXF1ZXJ5QW5kRmV0Y2gBFjdqMXZvYW5YUmlLSDJHN1FSUDB
2022-07-01 06:22:49
source
> 2022-07-01 06:22:50
INFO
```



# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
2022-07-01 06:22:50
source
> Ideally, this situation should not happen...
2022-07-01 06:22:50
source
> Please check with maintainers if the connector or library code should safely clean up its threads
before quitting instead.
2022-07-01 06:22:50
source
> The main thread is: main (RUNNABLE)
2022-07-01 06:22:50
source
> Thread stacktrace: java.base/java.lang.Thread.getStackTrace(Thread.java:1610)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.base.IntegrationRunner.dumpThread(IntegrationRunner.java:276)
2022-07-01 06:22:50
source
> at
io.airbyte.integrations.base.IntegrationRunner.waitForOrphanThreads(IntegrationRunner.java:245)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.base.IntegrationRunner.produceMessages(IntegrationRunner.java:175)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.base.IntegrationRunner.lambda$runInternal$0(IntegrationRunner.java:156)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.base.sentry.AirbyteSentry.executeWithTracing(AirbyteSentry.java:54)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.base.sentry.AirbyteSentry.executeWithTracing(AirbyteSentry.java:38)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.base.IntegrationRunner.runInternal(IntegrationRunner.java:156)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.base.IntegrationRunner.run(IntegrationRunner.java:107)
2022-07-01 06:22:50
source
> at io.airbyte.integrations.source.elasticsearch.ElasticsearchSource.main(ElasticsearchSource.java:28)
2022-07-01 06:22:50
source
> 2022-07-01 06:22:50
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: pool-2-thread-1
(RUNNABLE)
2022-07-01 06:22:50
source
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:22:50
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor.execute(AbstractMultiworkerIOReac
2022-07-01 06:22:50
source
> at
app/org.apache.http.impl.nio.conn.PoolingNHttpClientConnectionManager.execute(PoolingNHttpClientC
2022-07-01 06:22:50
source
> at
app/org.apache.http.impl.nio.client.CloseableHttpAsyncClientBase$1.run(CloseableHttpAsyncClientBas
2022-07-01 06:22:50
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:22:50
source
> 2022-07-01 06:22:50
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 1
(RUNNABLE)
2022-07-01 06:22:50
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:22:50
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:22:50
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:22:50
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:22:50
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:22:50

```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

- Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(Native Method),
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:22:50
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:22:50
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:22:50
source
> at
app/org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:22:50
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:22:50
source
> 2022-07-01 06:22:50
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 3
(RUNNABLE)
2022-07-01 06:22:50
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:22:50
source
> at app/org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:22:50
source
> at app/org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:22:50
source

```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
2022-07-01 06:22:50
WARN
i.a.i.b.IntegrationRunner(watchForOrphanThreads):255 - Active non-daemon thread: I/O dispatcher 4
(RUNNABLE)
2022-07-01 06:22:50
source
> Thread stacktrace: java.base@17.0.1/sun.nio.ch.EPoll.wait(Native Method)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:118)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:129)
2022-07-01 06:22:50
source
> at java.base@17.0.1/sun.nio.ch.SelectorImpl.select(SelectorImpl.java:141)
2022-07-01 06:22:50
source
> at app//org.apache.http.impl.nio.reactor.AbstractIOReactor.execute(AbstractIOReactor.java:255)
2022-07-01 06:22:50
source
> at app//org.apache.http.impl.nio.reactor.BaseIOReactor.execute(BaseIOReactor.java:104)
2022-07-01 06:22:50
source
> at
app//org.apache.http.impl.nio.reactor.AbstractMultiworkerIOReactor$Worker.run(AbstractMultiworkerIOR
2022-07-01 06:22:50
source
> at java.base@17.0.1/java.lang.Thread.run(Thread.java:833)
2022-07-01 06:22:50
source
> 2022-07-01 06:22:50
INFO
i.a.i.s.e.ElasticsearchSource(lambda$read$1):101 - Closing server connection.
2022-07-01 06:22:50
source
> 2022-07-01 06:22:50
INFO
i.a.i.s.e.ElasticsearchSource(lambda$read$1):103 - Closed server connection.
2022-07-01 06:22:50
source
> 2022-07-01 06:22:50
INFO
i.a.i.b.IntegrationRunner(runInternal):171 - Completed integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:22:50
source
> 2022-07-01 06:22:50
INFO
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_REQUEST: 'null'

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_LIMIT: 'null'

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_REQUEST: 'null'

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_LIMIT: 'null'

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_TOLERATIONS: ''

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_NODE\_SELECTORS: ''

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_ANNOTATIONS: ''

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_SECRET: ''

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_SIDE\_CAR\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_Socat\_IMAGE: 'alpine/socat:1.7.4.3-r0'

2022-07-01 06:22:51

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_BusyBox\_IMAGE: 'busybox:1.28'

2022-07-01 06:22:51

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

-----

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
DEPLOYMENT\_MODE: 'OSS'

2022-07-01 06:22:51

INFO

o.t.e.ElasticsearchContainer():73 - Starting an elasticsearch container using  
[docker.elastic.co/elasticsearch/elasticsearch:7.15.1]

2022-07-01 06:22:51

INFO

o.t.c.GenericContainer(tryStart):357 - Creating container for image:  
docker.elastic.co/elasticsearch/elasticsearch:7.15.1

2022-07-01 06:22:51

INFO

o.t.c.GenericContainer(tryStart):418 - Starting container with ID:  
31f799210dcf539743819adcd1eb2419286c4f1866f39ccbb559798b4560168a

2022-07-01 06:22:52

INFO

o.t.c.GenericContainer(tryStart):422 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1 is  
starting: 31f799210dcf539743819adcd1eb2419286c4f1866f39ccbb559798b4560168a

2022-07-01 06:22:52

INFO

o.t.c.w.s.HttpWaitStrategy(waitUntilReady):198 - /serene\_dewdney: Waiting for 60 seconds for URL:  
http://localhost:55099/ (where port 55099 maps to container port 9200)

2022-07-01 06:23:12

INFO

o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1  
started in PT21.021774S

2022-07-01 06:23:13

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample

2022-07-01 06:23:14

INFO

i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED

2022-07-01 06:23:14

INFO

i.a.c.i.LineGobbler(voidCall):82 - Checking if airbyte/source-elasticsearch:dev exists...

2022-07-01 06:23:14

INFO

i.a.c.i.LineGobbler(voidCall):82 - airbyte/source-elasticsearch:dev was found locally.

2022-07-01 06:23:14

INFO

i.a.w.p.DockerProcessFactory(create):108 - Creating docker job ID: 0

2022-07-01 06:23:14

INFO

i.a.w.p.DockerProcessFactory(create):163 - Preparing command: docker run --rm --init -i -w /data/job --  
log-driver none --name source-elasticsearch-check-0-0-ahmon --network host -v

/tmp/airbyte\_tests/test2005158602854863898:/data -v

/tmp/airbyte\_tests/output9445989971737994452:/local -e DEPLOYMENT\_MODE=OSS -e

WORKER\_ENVIRONMENT=DOCKER -e AIRBYTE\_ROLE= -e

# ElasticsearchSourceAcceptanceTest: 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```

io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:23:17
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:17
INFO
i.a.i.b.IntegrationCliParser(parseOptions):118 - integration args: {check=null, config=source_config.json}
2022-07-01 06:23:17
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:17
INFO
i.a.i.b.IntegrationRunner(runInternal):123 - Running integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:23:17
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:17
INFO
i.a.i.b.IntegrationRunner(runInternal):124 - Command: CHECK
2022-07-01 06:23:17
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:17
INFO
i.a.i.b.IntegrationRunner(runInternal):125 - Integration config: IntegrationConfig{command=CHECK,
configPath='source_config.json', catalogPath='null', statePath='null'}
2022-07-01 06:23:17
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:17
WARN
c.n.s.JsonMetaSchema(newValidator):338 - Unknown keyword airbyte_secret - you should define your
own Meta Schema. If the keyword is irrelevant for validation, just use a NonValidationKeyword
2022-07-01 06:23:17
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:17
INFO
i.a.i.s.e.ElasticsearchConnection():51 - creating ElasticsearchConnection: http://localhost:55099
2022-07-01 06:23:18
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:18
INFO
i.a.i.s.e.ElasticsearchConnection(checkConnection):101 - checking elasticsearch connection
2022-07-01 06:23:18
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:18
INFO
i.a.i.s.e.ElasticsearchConnection(checkConnection):104 - checked elasticsearch connection: docker-
cluster, node-name: 31f799210dcf, version:
org.elasticsearch.client.core.MainResponse$Version@7c6c9aa2

```

**testDiscover()**

passed 22.92 s

2022-07-01 06:23:19

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_CPU\_LIMIT: 'null'

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_REQUEST: 'null'

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_MAIN\_CONTAINER\_MEMORY\_LIMIT: 'null'

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_TOLERATIONS: ''

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_NODE\_SELECTORS: ''

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_ANNOTATIONS: ''

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_SECRET: ''

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_MAIN\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_SIDE\_CAR\_CONTAINER\_IMAGE\_PULL\_POLICY: 'IfNotPresent'

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_Socat\_IMAGE: 'alpine/socat:1.7.4.3-r0'

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_BusyBox\_IMAGE: 'busybox:1.28'

2022-07-01 06:23:19

INFO

i.a.c.EnvConfigs(getEnvOrDefault):948 - Using default value for environment variable  
JOB\_KUBE\_Curl\_IMAGE: 'curlimages/curl:7.83.1'

2022-07-01 06:23:19

INFO



# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
... ~
o.t.e.ElasticsearchContainer():73 - Starting an elasticsearch container using
[docker.elastic.co/elasticsearch/elasticsearch:7.15.1]
2022-07-01 06:23:19
INFO
o.t.c.GenericContainer(tryStart):357 - Creating container for image:
docker.elastic.co/elasticsearch/elasticsearch:7.15.1
2022-07-01 06:23:19
INFO
o.t.c.GenericContainer(tryStart):418 - Starting container with ID:
af3dda5cd9b47ce8151aa9c8573fe20484a6b130b6b05f2713edfe335e7d6adb
2022-07-01 06:23:20
INFO
o.t.c.GenericContainer(tryStart):422 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1 is
starting: af3dda5cd9b47ce8151aa9c8573fe20484a6b130b6b05f2713edfe335e7d6adb
2022-07-01 06:23:20
INFO
o.t.c.w.s.HttpWaitStrategy(waitUntilReady):198 - /unruffled_dhawan: Waiting for 60 seconds for URL:
http://localhost:55101/ (where port 55101 maps to container port 9200)
2022-07-01 06:23:37
INFO
o.t.c.GenericContainer(tryStart):475 - Container docker.elastic.co/elasticsearch/elasticsearch:7.15.1
started in PT17.931971S
2022-07-01 06:23:38
INFO
i.a.i.s.e.ElasticsearchSourceAcceptanceTest(createIndex):104 - Successfully created index: sample
2022-07-01 06:23:38
INFO
i.a.i.s.e.ElasticsearchSourceAcceptanceTest(addDocument):115 - Index response status: CREATED
2022-07-01 06:23:38
INFO
i.a.c.i.LineGobbler(voidCall):82 - Checking if airbyte/source-elasticsearch:dev exists...
2022-07-01 06:23:39
INFO
i.a.c.i.LineGobbler(voidCall):82 - airbyte/source-elasticsearch:dev was found locally.
2022-07-01 06:23:39
INFO
i.a.w.p.DockerProcessFactory(create):108 - Creating docker job ID: 0
2022-07-01 06:23:39
INFO
i.a.w.p.DockerProcessFactory(create):163 - Preparing command: docker run --rm --init -i -w /data/job --
log-driver none --name source-elasticsearch-discover-0-0-sfohq --network host -v
/tmp/airbyte_tests/test8256599087312424389:/data -v
/tmp/airbyte_tests/output17612091510806361545:/local -e DEPLOYMENT_MODE=OSS -e
WORKER_ENVIRONMENT=DOCKERS -e AIRBYTE_ROLE= -e
WORKER_CONNECTOR_IMAGE=airbyte/source-elasticsearch:dev -e WORKER_JOB_ATTEMPT=0 -
e AIRBYTE_VERSION= -e WORKER_JOB_ID=0 airbyte/source-elasticsearch:dev discover --config
source_config.json
2022-07-01 06:23:41
INFO
```

# ElasticsearchSourceAcceptanceTest:

## 8 total, 8 passed

2 m 52 s

[Collapse](#) | [Expand](#)

```
... ~
i.a.i.b.IntegrationCliParser(parseOptions):118 - integration args: {discover=null,
config=source_config.json}
2022-07-01 06:23:41
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:41
INFO
i.a.i.b.IntegrationRunner(runInternal):123 - Running integration:
io.airbyte.integrations.source.elasticsearch.ElasticsearchSource
2022-07-01 06:23:41
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:41
INFO
i.a.i.b.IntegrationRunner(runInternal):124 - Command: DISCOVER
2022-07-01 06:23:41
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:41
INFO
i.a.i.b.IntegrationRunner(runInternal):125 - Integration config: IntegrationConfig{command=DISCOVER,
configPath='source_config.json', catalogPath='null', statePath='null'}
2022-07-01 06:23:41
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:41
WARN
c.n.s.JsonMetaSchema(newValidator):338 - Unknown keyword airbyte_secret - you should define your
own Meta Schema. If the keyword is irrelevant for validation, just use a NonValidationKeyword
2022-07-01 06:23:41
INFO
i.a.w.i.DefaultAirbyteStreamFactory(lambda$create$0):61 - 2022-07-01 06:23:41
INFO
i.a.i.s.e.ElasticsearchConnection():51 - creating ElasticsearchConnection: http://localhost:55101
```

Generated by IntelliJ IDEA on 01/07/22, 12:02 PM