

```
Last login: Tue Nov 16 12:12:11 on ttys006
(base) estebanagosin@MacBook-Pro-de-Esteban ~ % conda deactivate
estebanagosin@MacBook-Pro-de-Esteban ~ % python3.9 -m pip install
pyAudioProcessing
Collecting pyAudioProcessing
  Using cached pyAudioProcessing-1.1.9-py3-none-any.whl (36 kB)
Requirement already satisfied: pyAudioAnalysis==0.2.5 in /Library/
Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages
(from pyAudioProcessing) (0.2.5)
Requirement already satisfied: pytest==6.2.3 in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
pyAudioProcessing) (6.2.3)
Requirement already satisfied: numpy==1.19.5 in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
pyAudioProcessing) (1.19.5)
Requirement already satisfied: ffmpeg==1.4 in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
pyAudioProcessing) (1.4)
Requirement already satisfied: simplejson==3.16.0 in /Library/
Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages
(from pyAudioProcessing) (3.16.0)
Requirement already satisfied: scikit-learn==0.24.2 in /Library/
Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages
(from pyAudioProcessing) (0.24.2)
Requirement already satisfied: eyed3==0.9.5 in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
pyAudioProcessing) (0.9.5)
Requirement already satisfied: scipy==1.5.4 in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
pyAudioProcessing) (1.5.4)
Requirement already satisfied: pydub==0.23.1 in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
pyAudioProcessing) (0.23.1)
Collecting matplotlib==3.1.2
  Using cached matplotlib-3.1.2.tar.gz (40.9 MB)
  Preparing metadata (setup.py) ... done
Requirement already satisfied: deprecation in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
eyed3==0.9.5->pyAudioProcessing) (2.1.0)
Requirement already satisfied: filetype in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
eyed3==0.9.5->pyAudioProcessing) (1.0.8)
Requirement already satisfied: cycler>=0.10 in /Library/Frameworks/
Python.framework/Versions/3.9/lib/python3.9/site-packages (from
matplotlib==3.1.2->pyAudioProcessing) (0.11.0)
Requirement already satisfied: kiwisolver>=1.0.1 in /Library/
Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages
(from matplotlib==3.1.2->pyAudioProcessing) (1.3.2)
Requirement already satisfied: pyparsing!=2.0.4,!>2.1.2,!>=2.1.6,>=2.0.1 in /Library/Frameworks/Python.framework/Versions/3.9/
```

```
lib/python3.9/site-packages (from matplotlib==3.1.2->pyAudioProcessing) (2.4.7)
Requirement already satisfied: python-dateutil>=2.1 in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from matplotlib==3.1.2->pyAudioProcessing) (2.8.2)
Requirement already satisfied: attrs>=19.2.0 in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from pytest==6.2.3->pyAudioProcessing) (21.2.0)
Requirement already satisfied: packaging in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from pytest==6.2.3->pyAudioProcessing) (21.2)
Requirement already satisfied: pluggy<1.0.0a1,>=0.12 in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from pytest==6.2.3->pyAudioProcessing) (0.13.1)
Requirement already satisfied: toml in ./Library/Python/3.9/lib/python/site-packages (from pytest==6.2.3->pyAudioProcessing) (0.10.2)
Requirement already satisfied: py>=1.8.2 in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from pytest==6.2.3->pyAudioProcessing) (1.10.0)
Requirement already satisfied: configparser in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from pytest==6.2.3->pyAudioProcessing) (1.1.1)
Requirement already satisfied: threadpoolctl>=2.0.0 in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from scikit-learn==0.24.2->pyAudioProcessing) (3.0.0)
Requirement already satisfied: joblib>=0.11 in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from scikit-learn==0.24.2->pyAudioProcessing) (1.1.0)
Requirement already satisfied: six>=1.5 in /Library/Frameworks/Python.framework/Versions/3.9/lib/python3.9/site-packages (from python-dateutil>=2.1->matplotlib==3.1.2->pyAudioProcessing) (1.15.0)
Building wheels for collected packages: matplotlib
  Building wheel for matplotlib (setup.py) ... error
    ERROR: Command errored out with exit status 1:
        command: /Library/Frameworks/Python.framework/Versions/3.9/bin/python3.9 -u -c 'import io, os, sys, setuptools, tokenize; sys.argv[0] = '../../../../../private/var/folders/vd/6v68ys09705b2yzh_d769dn000gn/T/pip-install-nqrndnb9/matplotlib_402a97aae63e44f8b928cc41e98f57b6/setup.py'; __file__='../../../private/var/folders/vd/6v68ys09705b2yzh_d769dn000gn/T/pip-install-nqrndnb9/matplotlib_402a97aae63e44f8b928cc41e98f57b6/setup.py';f = getattr(tokenize, "'open'", open)(__file__) if os.path.exists(__file__) else io.StringIO(''from setuptools import setup; setup()'');code = f.read().replace(''\\r\\n'', ''\\n'');f.close();exec(compile(code, __file__, ''exec''))'
bdist_wheel -d /private/var/folders/vd/6v68ys09705b2yzh_d769dn000gn/T/pip-wheel-cj2_4e1n
    cwd: /private/var/folders/vd/6v68ys09705b2yzh_d769dn000gn/T/pip-install-nqrndnb9/matplotlib_402a97aae63e44f8b928cc41e98f57b6/
  Complete output (506 lines):
```

```
=====
=====
Edit setup.cfg to change the build options

BUILDING MATPLOTLIB
    matplotlib: yes [3.1.2]
        python: yes [3.9.1 (v3.9.1:1e5d33e9b9, Dec  7 2020, 12:10:52)
[Clang 6.0
                      (clang-600.0.57)]]
    platform: yes [darwin]

OPTIONAL SUBPACKAGES
    sample_data: yes [installing]
        tests: no  [skipping due to configuration]

OPTIONAL BACKEND EXTENSIONS
    agg: yes [installing]
    tkagg: yes [installing; run-time loading from Python Tcl/Tk]
    macosx: yes [installing, darwin]

OPTIONAL PACKAGE DATA
    dlls: no  [skipping due to configuration]

running bdist_wheel
running build
running build_py
creating build
creating build/lib.macosx-10.9-x86_64-3.9
copying lib/pylab.py -> build/lib.macosx-10.9-x86_64-3.9
creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits
copying lib/mpl_toolkits/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/mpl_toolkits
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib
    copying lib/matplotlib/hatch.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
        copying lib/matplotlib/transforms.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
        copying lib/matplotlib/legend_handler.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
        copying lib/matplotlib/axis.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
            copying lib/matplotlib/textpath.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
            copying lib/matplotlib/quiver.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
            copying lib/matplotlib/backend_bases.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
            copying lib/matplotlib/units.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
```

```
    copying lib/matplotlib/pylab.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/colorbar.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_version.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_cm.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/backend_managers.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/mathtext.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/font_manager.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/bezier.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/cm.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/legend.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/figure.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/offsetbox.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/tight_bbox.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/container.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/gridspec.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/lines.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/widgets.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/blocking_input.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/dviread.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/animation.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/type1font.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_mathtext_data.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/artist.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/backend_tools.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
```

```
    copying lib/matplotlib/docstring.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_color_data.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/texmanager.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/afm.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/patches.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/stackplot.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/collections.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/spines.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/text.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/markers.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/mlab.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/fontconfig_pattern.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib
    copying lib/matplotlib/_pylab_helpers.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/tight_layout.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_cm_listed.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/dates.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/table.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/_animation_data.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/pyplot.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/rcsetup.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/ticker.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/path.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/contour.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_layoutbox.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/image.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
```

```
    copying lib/matplotlib/scale.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/category.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_constrained_layout.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib
    copying lib/matplotlib/sankey.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/patheffects.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/streamplot.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/colors.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/inset_locator.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_grid.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/parasite_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/colorbar.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/anchored_artists.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_size.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/mpl_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_rgb.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_divider.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/inset_locator.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axislines.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_grid.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/grid_finder.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/parasite_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/colorbar.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/anchored_artists.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
```

```
    copying lib/mpl_toolkits/axes_grid/axis_artist.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axisline_style.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_size.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/angle_helper.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/grid_helper_curvelinear.py ->
build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/clip_path.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/floating_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_rgb.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_divider.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/proj3d.py -> build/lib.macosx-10.9-
x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/axes3d.py -> build/lib.macosx-10.9-
x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/axis3d.py -> build/lib.macosx-10.9-
x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/art3d.py -> build/lib.macosx-10.9-
x86_64-3.9/mpl_toolkits/mplot3d
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axislines.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axes_grid.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/grid_finder.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/parasite_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axis_artist.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axisline_style.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/angle_helper.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/grid_helper_curvelinear.py ->
build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
```

```
    copying lib/mpl_toolkits/axisartist/clip_path.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/floating_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axes_rgb.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axes_divider.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/compat
    copying lib/matplotlib/compat/subprocess.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/compat
    copying lib/matplotlib/compat/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/compat
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/trirefine.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/tripcolor.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/trifinder.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/triplot.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/tritools.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/tricontour.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/triangulation.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/tri
    copying lib/matplotlib/tri/triinterpolate.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/tri
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/axes
    copying lib/matplotlib/axes/_axes.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/axes
    copying lib/matplotlib/axes/_base.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/axes
    copying lib/matplotlib/axes/_subplots.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/axes
    copying lib/matplotlib/axes/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/axes
    copying lib/matplotlib/axes/_secondary_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/axes
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext
    copying lib/matplotlib/sphinxext/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext
    copying lib/matplotlib/sphinxext/mathmpl.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext
    copying lib/matplotlib/sphinxext/plot_directive.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext
```

```
creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/cbook
copying lib/matplotlib/cbook/deprecation.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/cbook
copying lib/matplotlib/cbook/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/cbook
creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_template.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_qt4agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_gtk3cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_tkagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/wx_compat.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_qt5agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_qt5.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_gtk3agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_pdf.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_wxagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_pgf.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_mixed.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_macosx.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/windowing.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_qt4.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_tkcairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_qt4cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_gtk3.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_wxcairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
copying lib/matplotlib/backends/backend_nbagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
```

```
    copying lib/matplotlib/backends/backend_webagg_core.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_wx.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_qt5cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/_backend_tk.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/qt_compat.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_svg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/_backend_pdf_ps.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_webagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/tkagg.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_ps.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/style
    copying lib/matplotlib/style/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/style
    copying lib/matplotlib/style/core.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/style
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/projections
    copying lib/matplotlib/projections/geo.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/projections
    copying lib/matplotlib/projections/polar.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/projections
    copying lib/matplotlib/projections/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/projections
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/conftest.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/determinism.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/exceptions.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/disable_internet.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/compare.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/decorators.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
```

```
qt_editor
  copying lib/matplotlib/backends/qt_editor/_formlayout.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
  copying lib/matplotlib/backends/qt_editor/formlayout.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
  copying lib/matplotlib/backends/qt_editor/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
  copying lib/matplotlib/backends/qt_editor/formsubplottool.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
  copying lib/matplotlib/backends/qt_editor/figureoptions.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing/
jpl_units
  copying lib/matplotlib/testing/jpl_units/UnitDblFormatter.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  copying lib/matplotlib/testing/jpl_units/UnitDbl.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  copying lib/matplotlib/testing/jpl_units/EpochConverter.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  copying lib/matplotlib/testing/jpl_units/Duration.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  copying lib/matplotlib/testing/jpl_units/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  copying lib/matplotlib/testing/jpl_units/UnitDblConverter.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  copying lib/matplotlib/testing/jpl_units/Epoch.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  copying lib/matplotlib/testing/jpl_units/StrConverter.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery/js
  copying lib/matplotlib/backends/web_backend/jquery/js/jquery.min.js
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/
jquery/js
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
afm
  copying lib/matplotlib/mpl-data/fonts/afm/pncbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1/images
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/
ui-icons_ffffff_256x240.png -> build/lib.macosx-10.9-x86_64-3.9/
```

```
matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/fonts/afm/pbkl8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/mpl-data/images/forward_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
        copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-
BoldOblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/pdfcorefonts
        creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
sample_data
        copying lib/matplotlib/mpl-data/sample_data/topobathy.npz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
        copying lib/matplotlib/mpl-data/images/zoom_to_rect.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/backends/web_backend/jquery/js/jquery.js ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/
jquery/js
        copying lib/matplotlib/mpl-data/fonts/afm/pagdo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        copying lib/matplotlib/mpl-data/images/filesave.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
stylelib
        copying lib/matplotlib/mpl-data/stylelib/seaborn-paper.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
        copying lib/matplotlib/mpl-data/images/move.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/
ui-icons_777777_256x240.png -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1/images
        copying lib/matplotlib/mpl-data/fonts/afm/pplr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
ttf
        copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-BoldItalic.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
        copying lib/matplotlib/mpl-data/stylelib/seaborn-pastel.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
        copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-
BoldOblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/pdfcorefonts
        copying lib/matplotlib/mpl-data/images/qt4_editor_options_large.png
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneral.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
        copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/
ui-icons_cc0000_256x240.png -> build/lib.macosx-10.9-x86_64-3.9/
```

```
matplotlib/backends/web_backend/jquery-ui-1.12.1/images
  copying lib/matplotlib/mpl-data/sample_data/embedding_in_wx3.xrc ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/cmtt10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralItalic.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/sample_data/
Minduka_Present_Blue_Pack.png -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/help.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/forward.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/subplots.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/phvbo8an.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-deep.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.min.js -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/images/hand.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/ct.raw.gz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralBolIta.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniIta.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/cmmi10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-Italic.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/matplotlib.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/pncr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/move_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/nbagg_uat.ipynb ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend
  creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/js
    copying lib/matplotlib/backends/web_backend/js/mpl_tornado.js ->
```

```
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/js
    copying lib/matplotlib/mpl-data/images/filesave.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
LICENSE.txt -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/cmmi10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/matplotlib.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Italic.afm
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pcrbo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/home_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/README.txt -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Bold.afm ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/
ui-icons_444444_256x240.png -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/fonts/afm/phvb8an.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pplb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/filesave_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/ZapfDingbats.afm
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/cmr10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniBolIta.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/forward.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUni.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/matplotlib.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/subplots_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/fast.mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
```

```
    copying lib/matplotlib/mpl-data/stylelib/grayscale.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/move_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/help_large.ppm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-white.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-
Bold.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFourSymBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-Bold.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
sample_data/axes_grid
    copying lib/matplotlib/mpl-data/sample_data/axes_grid/
bivariate_normal.npy -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
mpl-data/sample_data/axes_grid
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizThreeSymBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/back.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-dark-
palette.mplstyle -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/cmtt10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/css
    copying lib/matplotlib/backends/web_backend/css/fbm.css -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/css
    copying lib/matplotlib/mpl-data/images/matplotlib_large.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizThreeSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pplr18a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-Bold.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/matplotlibrc -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data
```

```
    copying lib/matplotlib/mpl-data/images/qt4_editor_options.pdf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/move.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/cmr10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/home.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/_classic_test.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/phvb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pzcmi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-ticks.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.min.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/images/subplots_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/js/mpl.js -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/js
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.theme.min.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/pbkli8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-Oblique.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/css/page.css -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/css
    copying lib/matplotlib/mpl-data/fonts/afm/putbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/phvr8an.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/backends/web_backend/css/boilerplate.css ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/css
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-BoldOblique.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/back_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier.afm ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/ptmri8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/hand.png -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/images/home_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/images/zoom_to_rect_large.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.theme.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
  copying lib/matplotlib/mpl-data/images/forward_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/images/move.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/stylelib/seaborn-darkgrid mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/stylelib/classic mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/fonts/afm/ptmr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/stylelib/seaborn mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansDisplay.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
  copying lib/matplotlib/mpl-data/images/qt4_editor_options.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizTwoSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
  copying lib/matplotlib/mpl-data/images/filesave.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/
ui-icons_777620_256x240.png -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1/images
  copying lib/matplotlib/mpl-data/fonts/afm/phvbo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/fonts/ttf/cmex10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
  copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-
Oblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
  copying lib/matplotlib/mpl-data/fonts/afm/ptmb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Roman.afm
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
  copying lib/matplotlib/mpl-data/fonts/ttf/cmsy10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
  copying lib/matplotlib/mpl-data/fonts/afm/ptmbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/sample_data/data_x_x2_x3.csv ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
  copying lib/matplotlib/mpl-data/images/filesave.pdf -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/fonts/afm/pncb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/sample_data/membrane.dat -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
  copying lib/matplotlib/mpl-data/stylelib/fivethirtyeight.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/stylelib/seaborn-talk.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/fonts/afm/pagd8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
index.html -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
  copying lib/matplotlib/mpl-data/images/home.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/fonts/ttf/LICENSE_STIX -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
  copying lib/matplotlib/mpl-data/images/help_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/images/subplots.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.structure.min.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
backends/web_backend/jquery-ui-1.12.1
  copying lib/matplotlib/mpl-data/fonts/afm/pplbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/images/back.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/images/back_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/images/hand.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
  copying lib/matplotlib/mpl-data/stylelib/seaborn-muted.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/mpl-data/fonts/afm/putri8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/fonts/afm/putb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/fonts/afm/phvr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/stylelib/seaborn-colorblind.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
  copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
AUTHORS.txt -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
  copying lib/matplotlib/mpl-data/fonts/afm/pzdr.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
  copying lib/matplotlib/mpl-data/fonts/afm/psyr.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
```

```
    copying lib/matplotlib/mpl-data/sample_data/logo2.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/pagko8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/backends/web_backend/
ipython_inline_figure.html -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend
    copying lib/matplotlib/mpl-data/fonts/afm/putr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pcrro8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/back.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/ggplot.mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/phvl8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/sample_data/goog.npz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/home.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFiveSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizOneSymBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Symbol.afm ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/sample_data/msft.csv -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/sample_data/jacksboro_fault_dem.npz
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/sample_data/demodata.csv -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-Bold.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/help.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-
BoldOblique.ttf -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/readme.txt ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/sample_data/ada.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/help.ppm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizOneSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
```

```
    copying lib/matplotlib/mpl-data/stylelib/dark_background.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/seaborn-bright.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/phvro8an.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-dark.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/sample_data/aapl.npz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-
Oblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/stylelib/Solarize_Light2.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/back.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-whitegrid.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/sample_data/grace_hopper.jpg ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/sample_data/grace_hopper.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/stylelib/seaborn-notebook.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.structure.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/cmex10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pagk8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/phvlo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/move.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/None_vs_nearest-pdf.png
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/cmsy10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerifDisplay.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/stylelib/bmh.mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/sample_data/s1045.ima.gz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/ttf/LICENSE_DEJAVU -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/phvro8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
```

```
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/images/
ui-icons_555555_256x240.png -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/images/subplots.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFourSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/qt4_editor_options.svg ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/pcrb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/forward.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/all_figures.html ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizTwoSymBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1/external
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1/external/jquery
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
external/jquery/jquery.js -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1/external/jquery
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-
BoldItalic.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pbkd8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/hand.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/matplotlib.ppm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/pcrr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/cmss10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/single_figure.html ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend
    copying lib/matplotlib/backends/web_backend/js/nbagg mpl.js ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/js
    copying lib/matplotlib/mpl-data/images/forward.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pncri8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/subplots.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/home.pdf -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica.afm ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/sample_data/eeg.dat -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/ttf/cmb10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/jquery-
ui.js -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/help.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/
percent_bachelors_degrees_women_usa.csv -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-Oblique.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/filesave_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/tableau-
colorblind10.mplstyle -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/hand_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/zoom_to_rect_large.gif ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-Bold.afm
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pbkdi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-poster.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
package.json -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    UPDATING build/lib.macosx-10.9-x86_64-3.9/matplotlib/_version.py
    set build/lib.macosx-10.9-x86_64-3.9/matplotlib/_version.py to
'3.1.2'
    running build_ext
    building 'matplotlib.ft2font' extension
    creating build/temp.macosx-10.9-x86_64-3.9
    creating build/temp.macosx-10.9-x86_64-3.9/src
    gcc -Wno-unused-result -Wsign-compare -Wunreachable-code -fno-common
-dynamic -DNDEBUG -g -fwrapv -O3 -Wall -arch x86_64 -g
-DFREETYPE_BUILD_TYPE=system
-DPY_ARRAY_UNIQUE_SYMBOL=MPL_matplotlib_ft2font_ARRAY_API
```

```
-DNPY_NO_DEPRECATED_API=NPY_1_7_API_VERSION -D__STDC_FORMAT_MACROS=1
-Iextern/agg24-svn/include -I/Library/Frameworks/Python.framework/
Versions/3.9/lib/python3.9/site-packages/numpy/core/include -I/
Library/Frameworks/Python.framework/Versions/3.9/include/python3.9 -c
src/checkdep_freetype2.c -o build/temp.macosx-10.9-x86_64-3.9/src/
checkdep_freetype2.o
src/checkdep_freetype2.c:1:10: fatal error: 'ft2build.h' file not
found
 #include <ft2build.h>
 ^~~~~~
1 error generated.
error: command '/usr/bin/gcc' failed with exit code 1
=====
ERROR: Failed building wheel for matplotlib
Running setup.py clean for matplotlib
Failed to build matplotlib
Installing collected packages: matplotlib, pyAudioProcessing
Attempting uninstall: matplotlib
  Found existing installation: matplotlib 3.4.3
  Uninstalling matplotlib-3.4.3:
    Successfully uninstalled matplotlib-3.4.3
  Running setup.py install for matplotlib ... error
  ERROR: Command errored out with exit status 1:
    command: /Library/Frameworks/Python.framework/Versions/3.9/bin/
python3.9 -u -c 'import io, os, sys, setuptools, tokenize; sys.argv[0]
= '../../../../../private/var/folders/vd/6v68ys09705b2yzh_d769dnr0000gn/T/pip-
install-nqrndnb9/matplotlib_402a97aae63e44f8b928cc41e98f57b6/
setup.py'; __file__='../../../private/var/folders/vd/
6v68ys09705b2yzh_d769dnr0000gn/T/pip-install-nqrndnb9/
matplotlib_402a97aae63e44f8b928cc41e98f57b6/setup.py';f =
getattr(tokenize, "'open'", open)(__file__) if
os.path.exists(__file__) else io.StringIO(''from setuptools import
setup; setup()''');code = f.read().replace('''\r\n''',
''''\n'''');f.close();exec(compile(code, __file__, ''exec''))
install --record /private/var/folders/vd/
6v68ys09705b2yzh_d769dnr0000gn/T/pip-record-oh2x61ob/install-
record.txt --single-version-externally-managed --compile --install-
headers /Library/Frameworks/Python.framework/Versions/3.9/include/
python3.9/matplotlib
    cwd: /private/var/folders/vd/6v68ys09705b2yzh_d769dnr0000gn/
T/pip-install-nqrndnb9/matplotlib_402a97aae63e44f8b928cc41e98f57b6/
Complete output (506 lines):
=====
```

=====  
=====  
Edit setup.cfg to change the build options

BUILDING MATPLOTLIB  
matplotlib: yes [3.1.2]  
python: yes [3.9.1 (v3.9.1:1e5d33e9b9, Dec 7 2020,

```
12:10:52) [Clang 6.0
           (clang-600.0.57)]]
platform: yes [darwin]

OPTIONAL SUBPACKAGES
sample_data: yes [installing]
tests: no [skipping due to configuration]

OPTIONAL BACKEND EXTENSIONS
agg: yes [installing]
tkagg: yes [installing; run-time loading from Python Tcl/
Tk]
macosx: yes [installing, darwin]

OPTIONAL PACKAGE DATA
dlls: no [skipping due to configuration]

running install
running build
running build_py
creating build
creating build/lib.macosx-10.9-x86_64-3.9
copying lib/pylab.py -> build/lib.macosx-10.9-x86_64-3.9
creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits
copying lib/mpl_toolkits/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/mpl_toolkits
creating build/lib.macosx-10.9-x86_64-3.9/matplotlib
copying lib/matplotlib/hatch.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/transforms.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/legend_handler.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/axis.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/textpath.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/quiver.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/backend_bases.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/units.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/pylab.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/colorbar.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/_version.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
copying lib/matplotlib/_cm.py -> build/lib.macosx-10.9-x86_64-3.9/
```

```
matplotlib
    copying lib/matplotlib/backend_managers.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib
    copying lib/matplotlib/mathtext.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/font_manager.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/bezier.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/cm.py -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib
    copying lib/matplotlib/legend.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/figure.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/offsetbox.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/tight_bbox.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/container.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/gridspec.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/lines.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/widgets.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/blocking_input.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/dviread.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/animation.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/type1font.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_mathtext_data.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/artist.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/backend_tools.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/docstring.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_color_data.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/texmanager.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/afm.py -> build/lib.macosx-10.9-x86_64-3.9/
```

```
matplotlib
    copying lib/matplotlib/patches.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/stackplot.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/collections.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/spines.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/text.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/markers.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/mlab.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/fontconfig_pattern.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib
    copying lib/matplotlib/_pylab_helpers.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/tight_layout.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_cm_listed.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/dates.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/table.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_animation_data.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib
    copying lib/matplotlib/pyplot.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/rcsetup.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/ticker.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/path.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/contour.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_layoutbox.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/image.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/scale.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/category.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/_constrained_layout.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib
    copying lib/matplotlib/sankey.py -> build/lib.macosx-10.9-
```

```
x86_64-3.9/matplotlib
    copying lib/matplotlib/patheffects.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/streamplot.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    copying lib/matplotlib/colors.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/inset_locator.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_grid.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/parasite_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/colorbar.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/anchored_artists.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_size.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/mlp_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_rgb.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    copying lib/mpl_toolkits/axes_grid1/axes_divider.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid1
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/inset_locator.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axislines.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_grid.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/grid_finder.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/parasite_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/colorbar.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/anchored_artists.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axis_artist.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axisline_style.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_size.py -> build/
```

```
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/angle_helper.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/grid_helper_curvelinear.py ->
build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/clip_path.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/floating_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_rgb.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    copying lib/mpl_toolkits/axes_grid/axes_divider.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axes_grid
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/proj3d.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/_init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/axes3d.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/axis3d.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    copying lib/mpl_toolkits/mplot3d/art3d.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/mplot3d
    creating build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axislines.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axes_grid.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/grid_finder.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/parasite_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axis_artist.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axisline_style.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/_init__.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/angle_helper.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/grid_helper_curvelinear.py ->
build/lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/clip_path.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/floating_axes.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axes_rgb.py -> build/
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist
    copying lib/mpl_toolkits/axisartist/axes_divider.py -> build/
```

```
lib.macosx-10.9-x86_64-3.9/mpl_toolkits/axisartist  
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/compat  
    copying lib/matplotlib/compat/subprocess.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/compat  
    copying lib/matplotlib/compat/_init__.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/compat  
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/trirefine.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/tripcolor.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/trifinder.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/_init__.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/triplot.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/tritools.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/tricontour.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/triangulation.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/tri  
    copying lib/matplotlib/tri/triinterpolate.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/tri  
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/axes  
    copying lib/matplotlib/axes/_axes.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/axes  
    copying lib/matplotlib/axes/_base.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/axes  
    copying lib/matplotlib/axes/_subplots.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/axes  
    copying lib/matplotlib/axes/_init__.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/axes  
    copying lib/matplotlib/axes/_secondary_axes.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/axes  
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext  
    copying lib/matplotlib/sphinxext/_init__.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext  
    copying lib/matplotlib/sphinxext/mathmpl.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext  
    copying lib/matplotlib/sphinxext/plot_directive.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/sphinxext  
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/cbook  
    copying lib/matplotlib/cbook/deprecation.py -> build/  
lib.macosx-10.9-x86_64-3.9/matplotlib/cbook  
    copying lib/matplotlib/cbook/_init__.py -> build/lib.macosx-10.9-  
x86_64-3.9/matplotlib/cbook  
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends  
    copying lib/matplotlib/backends/backend_template.py -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_qt4agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_gtk3cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_tkagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/wx_compat.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_qt5agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_qt5.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_gtk3agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_pdf.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_wxagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_pgf.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_mixed.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_macosx.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/windowing.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_qt4.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_tkcairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_qt4cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_gtk3.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_wxcairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_nbagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_webagg_core.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_wx.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_qt5cairo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/_backend_tk.py -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/qt_compat.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_svg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/_backend_pdf_ps.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_webagg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/tkagg.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_ps.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    copying lib/matplotlib/backends/backend_agg.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/style
    copying lib/matplotlib/style/__init__.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/style
    copying lib/matplotlib/style/core.py -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/style
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/projections
    copying lib/matplotlib/projections/geo.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/projections
    copying lib/matplotlib/projections/polar.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/projections
    copying lib/matplotlib/projections/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/projections
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/conftest.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/determinism.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/exceptions.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/disable_internet.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/compare.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    copying lib/matplotlib/testing/decorators.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
qt_editor
    copying lib/matplotlib/backends/qt_editor/_formlayout.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
    copying lib/matplotlib/backends/qt_editor/formlayout.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
    copying lib/matplotlib/backends/qt_editor/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
```

```
    copying lib/matplotlib/backends/qt_editor/formsubplottool.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
    copying lib/matplotlib/backends/qt_editor/figureoptions.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/qt_editor
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing/
jpl_units
    copying lib/matplotlib/testing/jpl_units/UnitDblFormatter.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    copying lib/matplotlib/testing/jpl_units/UnitDbl.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    copying lib/matplotlib/testing/jpl_units/EpochConverter.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    copying lib/matplotlib/testing/jpl_units/Duration.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    copying lib/matplotlib/testing/jpl_units/__init__.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    copying lib/matplotlib/testing/jpl_units/UnitDblConverter.py ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    copying lib/matplotlib/testing/jpl_units/Epoch.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    copying lib/matplotlib/testing/jpl_units/StrConverter.py -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/testing/jpl_units
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/cmss10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
images
    copying lib/matplotlib/mpl-data/images/help.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-Bold.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/cmtt10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
stylelib
    copying lib/matplotlib/mpl-data/stylelib/seaborn-pastel.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizTwoSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pagd8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/putri8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/back.pdf -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-talk.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFourSymBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/qt4_editor_options.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
sample_data
    copying lib/matplotlib/mpl-data/sample_data/embedding_in_wx3.xrc
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/subplots.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery/js
    copying lib/matplotlib/backends/web_backend/jquery/js/
jquery.min.js -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery/js
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUni.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/home.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/move_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-
Oblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/images/move.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/fivethirtyeight.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/bmh.mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/js
    copying lib/matplotlib/backends/web_backend/js/mpl.js -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/js
    copying lib/matplotlib/mpl-data/fonts/afm/phvl8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/sample_data/grace_hopper.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/matplotlib_large.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/filesave.gif -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/eeg.dat -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/qt4_editor_options.svg ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/_classic_test mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/help.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/pplbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/home_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-
BoldOblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/images/matplotlib.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Roman.afm
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pncri8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFourSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Symbol.afm ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-
BoldOblique.ttf -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/putb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/backends/web_backend/nbagg_uat.ipynb ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend
    copying lib/matplotlib/mpl-data/fonts/afm/phvr8an.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-Oblique.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.structure.min.css -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/stylelib/tableau-
colorblind10 mplstyle -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/pncb8a.afm -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/css
        copying lib/matplotlib/backends/web_backend/css/boilerplate.css ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/css
        copying lib/matplotlib/mpl-data/images/filesave_large.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.theme.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
backends/web_backend/jquery-ui-1.12.1
        copying lib/matplotlib/mpl-data/fonts/afm/phvbo8an.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        copying lib/matplotlib/mpl-data/fonts/afm/phvb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        copying lib/matplotlib/mpl-data/sample_data/msft.csv -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
        copying lib/matplotlib/mpl-data/stylelib/seaborn-ticks mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
        copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-
Bold.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
        copying lib/matplotlib/mpl-data/images/home.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/mpl-data/images/qt4_editor_options.pdf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/mpl-data/fonts/afm/pbkd8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        copying lib/matplotlib/mpl-data/stylelib/seaborn-darkgrid mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
        copying lib/matplotlib/mpl-data/fonts/ttf/cmex10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
        copying lib/matplotlib/mpl-data/images/filesave.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
        copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.min.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
backends/web_backend/jquery-ui-1.12.1
        copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/readme.txt ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
        copying lib/matplotlib/mpl-data/fonts/afm/putbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        copying lib/matplotlib/mpl-data/sample_data/demodata.csv -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
        copying lib/matplotlib/mpl-data/sample_data/logo2.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
        copying lib/matplotlib/mpl-data/fonts/afm/phvbo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        copying lib/matplotlib/mpl-data/fonts/afm/psyr.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
        copying lib/matplotlib/mpl-data/images/forward.gif -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-deep.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/help.ppm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-
BoldOblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/ttf/cmr10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/filesave.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/subplots.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniIta.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-
Oblique.ttf -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/ttf
    copying lib/matplotlib/mpl-data/images/forward_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralBolIta.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/move_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/back.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/jquery/js/jquery.js ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/
jquery/js
    copying lib/matplotlib/mpl-data/matplotlibrc -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-Bold.afm
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
AUTHORS.txt -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/images/hand.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-notebook.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.css -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/phvro8an.afm -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralItalic.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/sample_data/ct.raw.gz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/sample_data/data_x_x2_x3.csv ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/stylelib/seaborn-postermplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneralBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/cmsy10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1/external
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1/external/jquery
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
external/jquery/jquery.js -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1/external/jquery
    copying lib/matplotlib/mpl-data/fonts/afm/pagdo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.theme.min.css -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/pzcmi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier-
Oblique.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica.afm
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/stylelib/seaborn-
whitegridmplstyle -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/seaborn-brightmplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/matplotlib.ppm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/zoom_to_rect_large.gif ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/cmb10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pbkli8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-
colorblindmplstyle -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
mpl-data/stylelib
    copying lib/matplotlib/mpl-data/sample_data/README.txt -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/backends/web_backend/
ipython_inline_figure.html -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend
    copying lib/matplotlib/mpl-data/images/hand.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizOneSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/sample_data/s1045.ima.gz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/ptmbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/phvr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizOneSymBol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizThreeSymReg.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
images/ui-icons_777620_256x240.png -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
images/ui-icons_555555_256x240.png -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/images/matplotlib.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-muted.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/help.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
index.html -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/pcrro8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizTwoSymbol.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/backends/web_backend/css/page.css -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/css
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
images/ui-icons_cc0000_256x240.png -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
```

```
    copying lib/matplotlib/mpl-data/fonts/afm/cmr10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/fast.mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/all_figures.html ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend
    copying lib/matplotlib/mpl-data/fonts/ttf/LICENSE_STIX -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pzdr.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/LICENSE_DEJAVU -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/stylelib/ggplot.mplstyle -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
LICENSE.txt -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/sample_data/membrane.dat -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/
ZapfDingbats.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/pdfcorefonts
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.structure.css -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/pplb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/filesave.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-dark.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    creating build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
sample_data/axes_grid
    copying lib/matplotlib/mpl-data/sample_data/axes_grid/
bivariate_normal.npy -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
mpl-data/sample_data/axes_grid
    copying lib/matplotlib/mpl-data/fonts/afm/pncbi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pagko8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-paper.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/afm/pbkl8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/hand.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/goog.npz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
```

```
    copying lib/matplotlib/mpl-data/fonts/afm/cmtt10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/help_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-Bold.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/stylelib/classic.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.js -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/putr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/forward_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/forward.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/subplots_large.gif ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-Italic.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/hand.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/single_figure.html ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
jquery-ui.min.js -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/
backends/web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/fonts/afm/pcrb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/ptmr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/phvro8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansMono-
BoldOblique.ttf -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/move.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/phvlo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pncr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/seaborn-dark-
palette.mplstyle -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/stylelib
    copying lib/matplotlib/mpl-data/stylelib/Solarize_Light2.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
```

```
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
images/ui-icons_777777_256x240.png -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/images/subplots.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/subplots_large.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerif-
BoldItalic.ttf -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/cmmi10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/back_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/move.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/stylelib/seaborn-white.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/backends/web_backend/css/fbm.css -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/css
    copying lib/matplotlib/mpl-data/sample_data/grace_hopper.jpg ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/pcrbo8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/stylelib/dark_background.mplstyle
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXNonUniBolIta.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizThreeSymBol.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/home.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/
percent_bachelors_degrees_women_usa.csv -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/backends/web_backend/js/mpl_tornado.js ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/js
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSerifDisplay.ttf
-> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/ptmb8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSans-Bold.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/forward.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/subplots.pdf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/help_large.ppm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/ada.png -> build/
```

```
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/sample_data/topobathy.npz ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/images/back_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/matplotlib.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Helvetica-
Bold.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/pplri8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/ptmri8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-
BoldItalic.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-
data/fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/images/home.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/DejaVuSansDisplay.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/move.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/pplr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
package.json -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/
web_backend/jquery-ui-1.12.1
    copying lib/matplotlib/mpl-data/stylelib/grayscale.mplstyle ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/stylelib
    copying lib/matplotlib/mpl-data/images/zoom_to_rect.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/filesave_large.gif ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/sample_data/None_vs_nearest-
pdf.png -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/cmmi10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/afm/pagk8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXSizFiveSymReg.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/images/hand_large.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/afm/phvb8an.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/sample_data/
jacksboro_fault_dem.npz -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/mpl-data/sample_data
```

```
    copying lib/matplotlib/mpl-data/images/back.gif -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/home_large.png -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
images/ui-icons_ffffff_256x240.png -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/backends/web_backend/jquery-ui-1.12.1/
images/ui-icons_444444_256x240.png -> build/lib.macosx-10.9-
x86_64-3.9/matplotlib/backends/web_backend/jquery-ui-1.12.1/images
    copying lib/matplotlib/mpl-data/fonts/ttf/STIXGeneral.ttf ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/fonts/afm/pbkdi8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/sample_data/aapl.npz -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/sample_data
    copying lib/matplotlib/mpl-data/fonts/afm/pcrr8a.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/mpl-data/images/forward.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Times-
Italic.afm -> build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/
fonts/pdfcorefonts
    copying lib/matplotlib/mpl-data/fonts/afm/cmex10.afm -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/afm
    copying lib/matplotlib/backends/web_backend/js/nbagg mpl.js ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/backends/web_backend/js
    copying lib/matplotlib/mpl-data/images/
qt4_editor_options_large.png -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/images/back.svg -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/pdfcorefonts/Courier.afm ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/
pdfcorefonts
    copying lib/matplotlib/mpl-data/images/zoom_to_rect_large.png ->
build/lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/images
    copying lib/matplotlib/mpl-data/fonts/ttf/cmsy10.ttf -> build/
lib.macosx-10.9-x86_64-3.9/matplotlib/mpl-data/fonts/ttf
    copying lib/matplotlib/mpl-data/sample_data/
Minduka_Present_Blue_Pack.png -> build/lib.macosx-10.9-x86_64-3.9/
matplotlib/mpl-data/sample_data
    UPDATING build/lib.macosx-10.9-x86_64-3.9/matplotlib/_version.py
    set build/lib.macosx-10.9-x86_64-3.9/matplotlib/_version.py to
'3.1.2'
    running build_ext
    building 'matplotlib.ft2font' extension
    creating build/temp.macosx-10.9-x86_64-3.9
    creating build/temp.macosx-10.9-x86_64-3.9/src
    gcc -Wno-unused-result -Wsign-compare -Wunreachable-code -fno-
```

```
common -dynamic -DNDEBUG -g -fwrapv -O3 -Wall -arch x86_64 -g
-DFREETYPE_BUILD_TYPE=system
-DPY_ARRAY_UNIQUE_SYMBOL=MPL_matplotlib_ft2font_ARRAY_API
-DNPY_NO_DEPRECATED_API=NPy_1_7_API_VERSION -D_STDC_FORMAT_MACROS=1
-Iextern/agg24-svn/include -I/Library/Frameworks/Python.framework/
Versions/3.9/lib/python3.9/site-packages/numpy/core/include -I/
Library/Frameworks/Python.framework/Versions/3.9/include/python3.9 -c
src/checkdep_freetype2.c -o build/temp.macosx-10.9-x86_64-3.9/src/
checkdep_freetype2.o
    src/checkdep_freetype2.c:1:10: fatal error: 'ft2build.h' file not
found
     #include <ft2build.h>
     ^~~~~~
1 error generated.
error: command '/usr/bin/gcc' failed with exit code 1
-----
Rolling back uninstall of matplotlib
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/__pycache__/pylab.cpython-39.pyc
    from /private/var/folders/vd/6v68ys09705b2yzh_d769dnr0000gn/T/pip-
uninstall-4i5bbaop/pylab.cpython-39.pyc
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/matplotlib-3.4.3-py3.9-nspkg.pth
    from /private/var/folders/vd/6v68ys09705b2yzh_d769dnr0000gn/T/pip-
uninstall-xfff986i/matplotlib-3.4.3-py3.9-nspkg.pth
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/matplotlib-3.4.3.dist-info/
    from /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/~matplotlib-3.4.3.dist-info
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/matplotlib/
    from /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/~matplotlib
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/axes_grid/
    from /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/~xes_grid
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/axes_grid1/
    from /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/~xes_grid1
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/axisartist/
    from /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/~xisartist
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/mplot3d/
    from /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/~plot3d
Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
```

```
python3.9/site-packages/mpl_toolkits/tests/
  from /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/mpl_toolkits/~ests
  Moving to /Library/Frameworks/Python.framework/Versions/3.9/lib/
python3.9/site-packages/pylab.py
  from /private/var/folders/vd/6v68ys09705b2yzh_d769dnr0000gn/T/pip-
uninstall-xffff986i/pylab.py
ERROR: Command errored out with exit status 1: /Library/Frameworks/
Python.framework/Versions/3.9/bin/python3.9 -u -c 'import io, os, sys,
setuptools, tokenize; sys.argv[0] = """/private/var/folders/vd/
6v68ys09705b2yzh_d769dnr0000gn/T/pip-install-nqrndnb9/
matplotlib_402a97aae63e44f8b928cc41e98f57b6/setup.py"""
_file_="""'/private/var/folders/vd/6v68ys09705b2yzh_d769dnr0000gn/
T/pip-install-nqrndnb9/matplotlib_402a97aae63e44f8b928cc41e98f57b6/
setup.py""";f = getattr(tokenize, """'open'""", open)(__file__) if
os.path.exists(__file__) else io.StringIO("""from setuptools import
setup; setup()""");code = f.read().replace("""'\r\n'""",
"""'\n'""");f.close();exec(compile(code, __file__, """'exec'"""))
install --record /private/var/folders/vd/
6v68ys09705b2yzh_d769dnr0000gn/T/pip-record-oh2x61ob/install-
record.txt --single-version-externally-managed --compile --install-
headers /Library/Frameworks/Python.framework/Versions/3.9/include/
python3.9/matplotlib Check the logs for full command output.
estebanagosin@MacBook-Pro-de-Esteban ~ %
```